2023-2024 Basketball Signup Checklist

o Physical Evaluation

o Read Sudden Cardiac Pamphlet

o Read Concussion Fact Sheet

o Signed Athletic Permission and Emergency Form

*** There is no fee for Basketball***

ALL PHYSICALS FOR
BASKETBALL MUST BE
HANDED INTO THE
COPELAND MAIN OFFICE
BY:

Wednesday, November 8th
NO LATE PHYSICALS CAN BE
ACCEPTED



TRYOUTS FOR BASKETBALL
WILL TAKE PLACE AFTER
SCHOOL ON TUESDAY
NOVEMBER 14TH AND
WEDNESDAY NOVEMBER
15TH

Website Resources

- http://tinyurl.com/m2gjmvq Sudden Death in Athletes
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org

Collaborating Agencies:

American Academy of Pediatrics New Jersey Chapter

3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619 (p) 609-842-0014 (f) 609-842-0015 www.aapnj.org



American Heart Association

1 Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020 www.heart.org



New Jersey Department of Education PO Box 500

www.state.nj.us/education/ Trenton, NJ 08625-0500 (p) 609-292-5935



New Jersey Department of Health

Trenton, NJ 08625-0360 www.state.nj.us/health (p) 609-292-7837 P. O. Box 360



Lead Author: American Academy of Pediatrics, **New Jersey Chapter**

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD

NJ Academy of Family Practice, Pediatric Cardiologists, Additional Reviewers: NJ Department of Education, American Heart Association/New Jersey Chapter, NJ Department of Health and Senior Services, New Jersey State School Nurses

Christene DeWitt-Parker, MSN, CSN, RN; Revised 2014: Nancy Curry, EdM;

Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Lakota Kruse, MD, MPH; Susan Martz, EdM; Louis Teichholz, MD; Perry Weinstock, MD

Sudden Cardiac Death The Basic Facts on in Young Athletes



American Academy of Pediatrics DEDICATED TO THE HEALTH OF ALL CHILDREN"








Learn and Live

Association American Heart



between the ages of 10 done to prevent this kind of What, if anything, can be and 19 is very rare. tragedy?

What is sudden cardiac death in the young athlete?

ultimately dies unless normal heart rhythm time) during or immediately after exercise heart function, usually (about 60% of the pumping adequately, the athlete quickly result of an unexpected failure of proper is restored using an automated external without trauma. Since the heart stops collapses, loses consciousness, and Sudden cardiac death is the defibrillator (AED).

How common is sudden death in young athletes?

Sudden cardiac death in young athletes is The chance of sudden death occurring to any individual high school athlete is reported in the United States per year. very rare. About 100 such deaths are about one in 200,000 per year.

other sports; and in African-Americans than common: in males than in females; in football and basketball than in in other races and ethnic groups. Sudden cardiac death is more

Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled;
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;
- Palpitations awareness of the heart beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- Fatigue or tiring more quickly than peers; or
- Being unable to keep up with friends due to shortness of breath (labored breathing).

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

What are the current recommendations for screening young athletes?

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Preparticipation Physical Examination Form (PPE).

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death.

The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

Are there options privately available to screen for cardiac conditions?

Technology-based screening programs including a 12-lead electrocardiogram (ECG) and echocardiogram (ECHO) are noninvasive and painless options parents may consider in addition to the required

PPE. However, these procedures may be expensive and are not currently advised by the American Academy of Pediatrics and the American College of Cardiology unless the PPE reveals an indication for these tests. In addition to the expense, other limitations of technology-based tests include the possibility of "false positives" which leads to unnecessary stress for the student and parent or guardian as well as unnecessary restriction from athletic participation.

The United States Department of Health and Human Services offers risk assessment options under the Surgeon General's Family History Initiative available at http://www.hhs.gov/familyhistory/index.html.

When should a student athlete see a heart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life. Others can develop following a

Concussions affect each child and teen differently. While most children and teens with a concussion feel better within a couple of weeks, some will have symptoms for months or longer. Talk with your children's or teens' health care provider if their concussion symptoms do not go away or if they get worse after they return to their regular activities.



Plan ahead.

What do you want your child or teen to know about concussion?

What Are Some More Serious Danger Signs to Look Out For?

In rare cases, a dangerous collection of blood (hematoma) may form on the brain after a bump, blow, or jolt to the head or body and can squeeze the brain against the skull. Call 9-1-1 or take your child or teen to the emergency department right away if, after a bump, blow, or jolt to the head or body, he or she has one or more of these danger signs:

- · One pupil larger than the other.
- Drowsiness or inability to wake up.
- A headache that gets worse and does not go away.
- Slurred speech, weakness, numbness, or decreased coordination.
- Repeated vomiting or nausea, convulsions or seizures (shaking or twitching).
- Unusual behavior, increased confusion, restlessness, or agitation.
- Loss of consciousness (passed out/knocked out). Even a brief loss of consciousness should be taken seriously.



You can also download the CDC *HEADS UP* app to get concussion information at your fingertips. Just scan the QR code pictured at left with your smartphone.

What Should I Do If My Child or Teen Has a Possible Concussion?

As a parent, if you think your child or teen may have a concussion, you should:

- 1. Remove your child or teen from play.
- 2 Keep your child or teen out of play the day of the injury. Your child or teen should be seen by a health care provider and only return to play with permission from a health care provider who is experienced in evaluating for concussion.
- Ask your child's or teen's health care provider for written instructions on helping your child or teen return to school. You can give the instructions to your child's or teen's school nurse and teacher(s) and return-to-play instructions to the coach and/or athletic trainer.

Do not try to judge the severity of the injury yourself. Only a health care provider should assess a child or teen for a possible concussion. You may not know how serious the concussion is at first, and some symptoms may not show up for hours or days. A child's or teen's return to school and sports should be a gradual process that is carefully managed and monitored by a health care provider.


Children and teens who continue to play while having concussion symptoms or who return to play too soon—while the brain is still healing—have a greater chance of getting another concussion. A repeat concussion that occurs while the brain is still healing from the first injury can be very serious and can affect a child or teen for a lifetime. It can even be fatal.

Revised 12/2015



To learn more, go to www.cdc.gov/HEADSUP

A Fact Sheet for YOUTH SPORTS PARENTS



This sheet has information to help protect your children or teens from concussion or other serious brain injury.

What is a Concussion?

A concussion is a type of traumatic brain injury—or TBI—caused by a bump, blow, or jolt to the head or by a hit to the body that causes the head and brain to move quickly back and forth. This fast movement can cause the brain to bounce around or twist in the skull, creating chemical changes in the brain and sometimes stretching and damaging the brain cells.

How Can I Help Keep My Children or Teens Safe?

Sports are a great way for children and teens to stay healthy and can help them do well in school. To help lower your children's or teens' chances of getting a concussion or other serious brain injury, you should:

- Help create a culture of safety for the team.
 - > Work with their coach to teach ways to lower the chances of getting a concussion.
 - Emphasize the importance of reporting concussions and taking time to recover from one.
 - > Ensure that they follow their coach's rules for safety and the rules of the sport.
 - Tell your children or teens that you expect them to practice good sportsmanship at all times.
- When appropriate for the sport or activity, teach your children or teens that they must wear a helmet to lower the chances of the most serious types of brain or head injury.
 There is no "concussion-proof" helmet. Even with a helmet, it is important for children and teens to avoid hits to the head.

How Can I Spot a Possible Concussion?

Children and teens who show or report one or more of the signs and symptoms listed below—or simply say they just "don't feel right" after a bump, blow, or jolt to the head or body—may have a concussion or other serious brain injury.

Signs Observed by Parents

- Appears dazed or stunned.
- Forgets an instruction, is confused about an assignment or position, or is unsure of the game, score, or opponent.
- Moves clumsily.
- · Answers questions slowly.
- · Loses consciousness (even briefly).
- · Shows mood, behavior, or personality changes.
- · Can't recall events prior to or after a hit or fall.

Symptoms Reported by Children and Teens

- · Headache or "pressure" in head.
- · Nausea or vomiting.
- · Balance problems or dizziness, or double or blurry vision.
- Bothered by light or noise.
- Feeling sluggish, hazy, foggy, or groggy.
- · Confusion, or concentration or memory problems.
- Just not "feeling right," or "feeling down."

Talk with your children and teens about concussion. Tell them to report their concussion symptoms to you and their coach right away. Some children and teens think concussions aren't serious or worry that if they report a concussion they will lose their position on the team or look weak. Remind them that it's better to miss one game than the whole season.





Centers for Disease Control and Prevention National Center for Injury Prevention and Control

GOOD TEAMMATES KNOW:

IT'S BETTER TO MISS ONE GAME THAN THE WHOLE SEASON.

ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

PREPARTICIPATION PHYSICAL EVALUATION HISTORY FORM

ate of Exam			Date of birth			
				Sport(s)		
Medicines and Allergies: Please list all of the prescription and over-	the-co	unter m	edicines and supplements (herbal and nutritional) that you are currently	taking		
				-	-	
Do you have any allergies? ☐ Yes ☐ No If yes, please Iden	Million en	ocific all	eray helaw	7123		
☐ Medicines ☐ Pollens	_		☐ Food ☐ Stinging Insects			
xplain "Yes" answers below. Circle questions you don't know the and			THE PART AND PARTY AND PAR	Yes	No	
GENERAL QUESTIONS	Yes	No	MEDICAL QUESTIONS 26. Do you cough, wheeze, or have difficulty breathing during or	100	-	
Has a doctor ever denied or restricted your participation in sports for any reason?			after exercise?		-	
2. Do you have any ongoing medical conditions? If so, please Identify			27. Have you ever used an inhaler or taken asthma medicine?		-	
below: Asthma D Anemia D Diabetes D Infections			28. Is there anyone in your family who has asthma? 29. Were you born without or are you missing a kidney, an eye, a testicle		-	
Other:			(males), your spieen, or any other organ?		_	
4. Have you ever had surgery?			30. Do you have groin pain or a painful bulge or hernia in the groin area?	-	-	
HEART HEALTH QUESTIONS ABOUT YOU	Yes	No	31. Have you had infectious mononucleosis (mono) within the last month?		-	
5. Have you ever passed out or nearly passed out DURING or			32. Do you have any rashes, pressure sores, or other skin problems?		-	
AFTER exercise? 6. Have you ever had discomfort, pain, tightness, or pressure in your	-		33. Have you had a herpes or MRSA skin infection? 34. Have you ever had a head injury or concussion?		H	
6. Have you ever had discomfort, pain, ugituress, or pressure in your chest during exercise?			35. Have you ever had a hit or blow to the head that caused confusion,			
7. Does your heart ever race or skip beats (irregular beats) during exercise?			prolonged headache, or memory problems?			
8. Has a doctor ever told you that you have any heart problems? If so,			36. Do you have a history of seizure disorder?			
check all that apply:			37. Do you have headaches with exercise?			
High blood pressure A heart murmur High cholesterol A heart infection Kawasaki disease Other:			38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling?			
Has a doctor ever ordered a test for your heart? (For example, ECG/EKG, echocardiogram)			39. Have you ever been unable to move your arms or legs after being hit or falling?			
10. Do you get lightheaded or feel more short of breath than expected			40. Have you ever become III while exercising in the heat?			
during exercise?			41. Do you get frequent muscle cramps when exercising?		-	
11. Have you ever had an unexplained seizure?			42. Do you or someone in your family have sickle cell trait or disease?		-	
12. Do you get more tired or short of breath more quickly than your friends			43. Have you had any problems with your eyes or vision?	-	+	
during exercise? HEART HEALTH QUESTIONS ABOUT YOUR FAMILY	Yes	No	44. Have you had any eye injuries?	-	-	
13. Has any family member or relative died of heart problems or had an	100		45. Do you wear glasses or contact lenses?		-	
unexpected or unexpisited sudden death before age 50 (including			46. Do you wear protective eyewear, such as goggles or a face shield?		-	
drowning, unexplained car accident, or sudden intent death syndrome)?		_	47. Do you worry about your weight? 48. Are you trying to or has anyone recommended that you gain or		+	
 Does anyone in your family have hypertrophic cardiomyopathy, Marian syndrome, arrhythmogenic right ventricular cardiomyopathy, long QT 		-	iose weight?			
syndrome, arrhythmogenic right ventricular cardiomyopatry, long of syndrome, short QT syndrome, Brugada syndrome, or catecholaminergic			49. Are you on a special diet or do you avoid certain types of foods?			
polymorphic ventricular tachycardia?			50. Have you ever had an eating disorder?			
15. Does anyone in your family have a heart problem, pacemaker, or			51. Do you have any concerns that you would like to discuss with a doctor?		_	
implanted defibrillator? 16. Has anyone in your family had unexplained fainting, unexplained	-		FEMALES ONLY	di.a		
16. Has anyone in your lamily had unexplained landling, differentiation seizures, or near drowning?			52. Have you ever had a menstruel period?			
BONE AND JOINT QUESTIONS	Yes	No	53. How old were you when you had your first menstruel period?			
17. Have you ever had an injury to a bone, muscle, ligament, or tendon that caused you to mise a practice or a game?			54. How many periods have you had in the last 12 months? Explain "yes" answers here			
18. Have you ever had any broken or fractured bones or dislocated joints?	DE L					
19. Have you ever had an injury that required x-rays, MRI, CT scan, injections, therapy, a brace, a cast, or crutches?				_		
20. Have you ever had a stress fracture?					-	
Have you ever been told that you have or have you had an x-ray for neck instability or attantoaxial instability? (Down syndrome or dwarfism)						
22. Do you regularly use a brace, orthotics, or other assistive device?				-	_	
22. Do you have a bone, muscle, or joint injury that bothers you?						
24. Do any of your joints become painful, swollen, feel warm, or look red?						
25. Do you have any history of juvenile arthritis or connective tissue disease?			1			

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Osteopathic Academy of Sports Medicine, Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

9-2610410

PREPARTICIPATION PHYSICAL EVALUATION THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date of Exam		Law Section	
Name	Date of birth		
ex Age Grade School	Sport(s)		
1. Type of disability			_
2. Date of disability			
3. Classification (ff available)			
4. Cause of disability (birth, disease, accident/trauma, other)	10 m		-
5. List the sports you are interested in playing			
	The Charles desired	Yes	No
6. Do you regularly use a brace, assistive device, or prosthetic?			
Do you use any special brace or assistive device for aports?			
8. Do you have any rashes, pressure sores, or any other skin problems?			
9. Do you have a hearing loss? Do you use a hearing aid?		6	
0. Do you have a visual Impairment?		200 1 0	
1. Do you use any special devices for bowel or bladder function?			
2. Do you have burning or discomfort when urinating?			-
3. Have you had autonomic dysreflexia?			313/11
4. Have you ever been diagnosed with a heat-related (hyperthermia) or cold-related (hypothermia) litness?			
15. Do you have muscle spasticity?			
16. Do you have frequent seizures that cannot be controlled by medication?			
kplain "yee" answers here			
ease indicate if you have ever had any of the following.	The second		
tantoaxial instability		Yes	Ho
		Yes	Ro
ray evaluation for atlantoaxial instability			TOWNS HOLD
-ray evaluation for atlantoaxial instability islocated joints (more than one)		Yes	No.
-ray evaluation for atlantoaxial instability islocated joints (more than one) asy bleeding		Yes	Но
-ray evaluation for atlantoaxial instability islocated joints (more than one) asy bleeding nlarged spieen		Yes	Но
-ray evaluation for atlantoaxial instability islocated joints (more than one) asy bleeding inlarged spieen		Yes	Ho :
ray evaluation for atlantoaxial instability istocated joints (more than one) asy bleeding nilarged spieen epatitis steopenia or osteoporosis		Yes	Ro
-ray evaluation for atlantoaxial instability istocated joints (more than one) asy bleeding inlarged spicen lepatitis isteopenia or osteoporosis ifficulty controlling bowel		Yes	Ro
-ray evaluation for atlantoaxial instability istocated joints (more than one) asy bleeding asy bleeding apatitis steopenia or osteoporosis ifficulty controlling bowel ifficulty controlling bladder		The second	Ro
-ray evaluation for atlantoaxial instability istocated joints (more than one) asy bleeding allarged spiece epatitis steepenia or osteoporesis ifficulty controlling bowel ifficulty controlling bladder umbness or tingling in arms or hands		Nes	Ro
ray evaluation for atlantoaxial instability istocated joints (more than one) asy bleeding nlarged spieen epatitis steopenia or osteoporosis ifficulty controlling bowel ifficulty controlling bladder umbness or tingling in arms or hands umbness or tingling in legs or feet feakness in arms or hands		Nes	Ro
ray evaluation for atlantoaxial instability istocated joints (more than one) asy bleeding niarged spieen epatitis steopenia or osteoporosis lifficulty controlling bowel lifliculty controlling bladder umbness or tingling in arms or hands umbness or tingling in legs or feet feakness in arms or hands		The second secon	Ro
-ray evaluation for atlantoaxial instability bisiocated foints (more than one) asy bleeding inlarged spieen legatitis steopenia or osteoporosis Ifficulty controlling bowel Ifficulty controlling bladder tumbriess or tingling in arms or hands tumbriess or tingling in legs or feet feakness in arms or hands		Nes	Ro
-ray evaluation for atlantoaxial instability bisiocated foints (more than one) asy bleeding inlarged spieen legatitis steopenia or osteoporosis lifficulty controlling bowel lifficulty controlling bladder tumbness or tingling in arms or hands umbness or tingling in legs or feet feakness in arms or hands leakness in legs or feet ecent change in coordination		The second secon	Ro
-ray evaluation for atlantoaxial instability bisiocated foints (more than one) asy bleeding nlarged spieen lepatitis steopenia or osteoporosis Ifficulty controlling bowel Ifficulty controlling bladder tumbriess or tingling in arms or hands umbriess or tingling in legs or feet /eakness in arms or hands /eakness in legs or feet ecent change in coordination ecent change in ability to walk		The second secon	Re
Attantoaxial instability -ray evaluation for atlantoaxial instabili			Re
ray evaluation for atlantoaxial instability istocated joints (more than one) asy bleeding inlarged spicen epatitis steopenia or osteoporosis lificuity controlling bowel lificuity controlling bladder umbness or tingling in arms or hands umbness or trigling in legs or feet feakness in arms or hands feakness in legs or feet ecant change in coordination ecent change in ability to walk pina bilida atex allergy			Re
ray evaluation for atlantoaxial instability istocated joints (more than one) asy bleeding inlarged spicen epatitis steopenia or osteoporosis lificuity controlling bowel lificuity controlling bladder umbness or tingling in arms or hands umbness or trigling in legs or feet feakness in arms or hands feakness in legs or feet ecant change in coordination ecent change in ability to walk pina bilida atex allergy			Ro
-ray evaluation for attantoaxial instability intocated joints (more than one) asy bleeding inlarged spicen lepatitis isteopenia or osteoporosis lificuity controlling bowel lificuity controlling bladder umbness or tingling in arms or hands umbness or tingling in legs or feet feakness in arms or hands evakness in legs or feet evakness in legs or feet evakness in legs or feet evakness in legs in coordination event change in coordination event change in ability to walk pina bifida atex allergy			Re
Cray evaluation for attantoaxial instability Dislocated joints (more than one) Easy bleeding Enlarged spieen Espatitis Esteopenia or osteoporosis Efficulty controlling bowel Efficiently controlling bladder Enterprise or tingling in arms or hands Emboress or tingling in legs or feet Evaluations in arms or hands Evaluations in arms or hands Evaluations in arms or hands Evaluations in coordination Ecent change in ability to walk pina biffda			Ro
Cray evaluation for attantoaxial instability Distocated joints (more than one) Easy bleeding Inlarged spieen Repatitis Isteopenia or osteoporosis Ifficulty controlling bowel Ifficulty controlling bladder Remains or triging in arms or hands Remains or tingling in legs or feet Reakness in arms or hands Reakness in legs or feet			Re
-ray evaluation for attantoaxial instability intocated joints (more than one) asy bleeding inlarged spicen lepatitis isteopenia or osteoporosis lificuity controlling bowel lificuity controlling bladder umbness or tingling in arms or hands umbness or tingling in legs or feet feakness in arms or hands evakness in legs or feet evakness in legs or feet evakness in legs or feet evakness in legs in coordination event change in coordination event change in ability to walk pina bifida atex allergy			Re
ray evaluation for attantoaxial instability istocated joints (more than one) asy bleeding niarged spieen epatitis steopenia or osteoporesis Ifficulty controlling blowel Ifficulty controlling bladder umbness or tingling in arms or hands umbness or tingling in legs or feet feakness in arms or hands reakness in legs or feet ecent change in coordination ecent change in ability to walk bina bifida stex allergy plain "yes" answers here			Re
-ray evaluation for attantoaxial instability intocated joints (more than one) asy bleeding inlarged spicen lepatitis isteopenia or osteoporosis lificuity controlling bowel lificuity controlling bladder umbness or tingling in arms or hands umbness or tingling in legs or feet feakness in arms or hands evakness in legs or feet evakness in legs or feet evakness in legs or feet evakness in legs in coordination event change in coordination event change in ability to walk pina bifida atex allergy		Date	Ro

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

_ Date of birth _

PREPARTICIPATION PHYSICAL EVALUATION PHYSICAL EXAMINATION FORM

Name

EXAMINATION	
BP / (/) Pulse Vision R 20/ L 20/ Corrected E MEDICAL NORMAL ABNORMAL FINDI Appearance - Marfan stigmata (typhoscoliosis, high-arched palate, pactus axcavatum, arachnodectyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/throat - Pupils equal - Hearing Lymph nodes Hearit - Murmurs (auscultation standing, supine, +/- Valsalva) - Location of point of maximal impulse (PMI) Pulses - Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)* Skin - HSV, lasions suggestive of MRSA, tinea corporis Neurologic* MUSCULOSNELETAL Neck Back Shoulder/arm Elbow/forearm Virist/hand/fingers Hill/thigh Krise	The state of the s
MEDICAL Appearance - Merfan stigmata (kyphesooliosis, high-arched paiate, pectus excavatum, arachnodactyly, arm spen > height, hyperfaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/throat - Pupils equal - Hearing Lymph nodes Heart* - Murmura (auscultation standing, supine, +/- Valsalva) - Location of point of maximal impulses (PMI) Pulses - Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (makes only)* Skin - HSV, lastons suggestive of MRSA, tinea corporis Neurologic* MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wirst/hand/fingers Hip/high Krise	3 Y 🗆 N
Appearance - Merfan sigmata (kyphoscoliosis, high-arched palate, pactus excavatum, arachnodactyly, arm spen > height, hypertaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/hroat - Pupils equal - Hearing Lymph nodes - Murmurs (auscultation standing, supline, +/- Valsalva) - Location of point of maximal imputse (PMI) Pulses - Simultaneous femoral and radial pulses Lungs - Abdomen - Genitourinary (males only) ^b - Skin - HSV, lastons suggestive of MRSA, tinea corporis - Neurologic* - Musculosketrat - Musculosketrat - Musculosketrat - Back - Shoulder/arm - Elbow/forearm - Elbow/forearm - Wrist/hand/fingers - Hip/thigh - Knee	
Merian Bigmata (kyphosocilosis, high-arched palate, pactus excavatum, arachnodacity, arm span > height, hyperfaxity, myopia, MVP, aortic insufficiency) Eyes/eart/sose/hroat Pupils equal Hearing Lymph nodes Hearin' Murmurs (ausoculistion standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI) Pulses Simultaneous femoral and radial pulses Lings Abdomen Genitourinary (males only)* Sikin HSV, lasions suggestive of MRSA, tinea corporis Neurologic* MUSCULOSNELETAL Neck Back Shoulder/arm Wrist/hand/fingers Hip/thigh Krise Krise	
Pupils equal Hearty Hearty Murmurs (auscultation standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI) Pulses Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)* Skin HisV, lesions suggestive of MRSA, tinea corporis Neurologie* MUSCULOSKELETAL Neck Back Shoulderfarm Elbow/forearm Wrist/hand/fingers Hip/thigh Krise	
Heart* Murmors (ausculiation standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI) Pulses Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)* Skin HisV, lasions suggestive of MRSA, tinea corporis Neurologic* MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee	
Murmurs (auscultation standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI) Pulses Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)* Skin HSV, lasions suggestive of MRSA, tinea corporis Neurologic* MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee	
Simultaneous femoral and radial pulses Lings Abdomen Genitourinary (males only)* Skin HSV, lasions suggestive of MRSA, tinea corporis Neurologic* MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee	
Abdomen Genitourinary (males only)* Skin • HSV, lasions suggestive of MRSA, tinea corporis Neurologic * MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee	
Genitourinary (mates only)* Sidin HSV, lasions suggestive of MRSA, tinea corporis Neurologic * MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knse	
Skin HSV, lesions suggestive of MRSA, tinea corporis Neurologic* MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Kribe	
MUSCULOSKELETAL Neck Neck Image: Record of the control of the c	
Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee	
Back Shoulder/arm Shoulder/arm Shoulder/arm Elbow/forearm Shoulder/arm Wrist/hand/fingers Shoulder/arm Wrist/hand/fingers Shoulder/arm Knee Shoulder/arm	
Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee	
Wrist/hand/lingers Hip/thigh Knae	
Hip/thigh Knee	
Knae	
Leg/anklé	-
Foot/loss	
Functional • Duck-walk, single leg hop	
*Consider EC9, echecardiogram, and referral to cardiology for abnormal cardiac history or exam. *Consider GU exam if in private setting. Having third party present is recommended. *Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. Cleared for all sports without restriction Cleared for all sports without restriction with recommendations for further evaluation or treatment for	
□ Not cleared	
☐ Pending further evaluation	
☐ For any sports	
□ For certain sports	
Reason	
Recommendations	
I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contral participate in the sport(s) as quilined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of arise after the athlete has been cleared for participation, a physician may rescind the clearance until the problem is resolved and the potential consequences to the athlete (and parents/guardians).	are completely explains
Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type)	xam
Address Phone	
Signature of physician, APN, PA	
©2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine, Permission is granted to reprint for noncommercial, educational purposes with ack	American Orthopsedic

PREPARTICIPATION PHYSICAL EVALUATION CLEARANCE FORM

	Sex 🗆 M 🗆 F Age	Date of birth
☐ Cleared for all sports without restriction		
Cleared for all sports without restriction with recommendati	ons for further evaluation or treatment for	
Not cleared		
☐ Pending further evaluation		
☐ For any sports		
☐ For certain sports		
18/238-2-18/2-18/2-18/2-18/2-18/2-18/2-18/2-1		
commendations		
	The second second	
MERGENCY INFORMATION		
ergles		
		1971
her Information		
P OFFICE STAMP	SCHOOL PHYSICIAN:	
P OFFICE STAMP		
P OFFICE STAMP	SCHOOL PHYSICIAN:	(Date)
P OFFICE STAMP	Reviewed on	(Date)
P OFFICE STAMP	Reviewed on Not A	
P OFFICE STAMP	Reviewed on	
ave examined the above-named student and comp nical contraindications to practice and participate i d can be made avallable to the school at the reque o physician may rescind the clearance until the pro	Reviewed on Not A Signature: leted the preparticipation physical evaluation. The sport(s) as outlined above. A copy of the path of the parents. If conditions arise after the ath	pproved ne athlete does not present apparen hysical exam is on record in my off lete has been cleared for participat
ave examined the above-named student and comp nical contraindications to practice and participate i d can be made avaliable to the school at the reque physician may rescind the clearance until the pro id parents/guardians).	Reviewed on Not A Signature: Not A Signature: letted the preparticipation physical evaluation. The sport(s) as outlined above, A copy of the part of the parents, if conditions arise after the atholem is resolved and the potential consequences.	pproved ne athlete does not present apparen hysical exam is on record in my offi lete has been cleared for participat s are completely explained to the at
ave examined the above-named student and comp nical contraindications to practice and participate d can be made avaliable to the school at the reque physician may rescind the clearance until the pro id parents/guardians). The of physician, advanced practice nurse (APN), physician	Reviewed on Not A Signature: Not A Signature: letted the preparticipation physical evaluation. The sport(s) as outlined above, A copy of the part of the parents, if conditions arise after the atholem is resolved and the potential consequences.	pproved ne athlete does not present apparen hysical exam is on record in my offi lete has been cleared for participati s are completely explained to the at
ave examined the above-named student and comp nical contraindications to practice and participate d can be made avaliable to the school at the reque physician may rescind the clearance until the pro id parents/guardians). The of physician, advanced practice nurse (APN), physician	Reviewed on Not A Signature: N	pproved ne athlete does not present apparen hysical exam is on record in my offl lete has been cleared for participat s are completely explained to the at
ave examined the above-named student and comp nical contraindications to practice and participate if can be made available to the school at the reques physician may rescind the clearance until the pro- id parents/guardians). The of physician, advanced practice nurse (APN), physicial	Reviewed on Not A Signature: Not A Signature: leted the preparticipation physical evaluation. The sport is as outlined above. A copy of the past of the parents. If conditions arise after the atholem is resolved and the potential consequences on assistant (PA)	pproved ne athlete does not present apparen hysical exam is on record in my offi lete has been cleared for participati s are completely explained to the at
ave examined the above-named student and comp nical contraindications to practice and participate d can be made avallable to the school at the reques physician may rescind the clearance until the pro id parents/guardians). me of physician, advanced practice nurse (APN), physicia	Reviewed on Not A Signature: Not A signa	pproved ne athlete does not present apparen hysical exam is on record in my offi lete has been cleared for participati s are completely explained to the at

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Ostropathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

Copeland Middle School ATHLETIC PERMISSION AND EMERGENCY FORM



NAME	GRADE
	SPORT
STREET	
TOWN & ZIP CODE	PHONE
PARENT/GUARDIAN (pri	t)
Work Phone	Cell
EMERGENCY CONTACTS	•
Name	Phone
Name	Phone
Name of Physician	Phone
	on (medical conditions, allergies, medications taken daily)
GIVE PERMISSION FOR SEEK MEDICAL TREAT	ED TO GIVE MY CONSENT TO EMERGENCY PERSONNEL, I THE COPELAND MIDDLE SCHOOL COACHING STAFF TO MENT FOR MY CHILD IN THE CASE OF AN INJURY OR LE PARTICIPATING IN SCHOOL SPONSORED ACTIVITIES.
SUDDEN CARDIAC ARR HEAD INJURY FACT SHI	I HAVE RECEIVED AND READ THE SPORTS RELATED EST INFORMATION SHEET AND THE CONCUSSION AND ET, I AM AWARE THAT THE DISTRICT BOARD POLICY ON ABLE ON THE DISTRICT WEBSITE AND I HAVE READ IT.
Parent/Guardian Signature	Date
Student Signature	Date