

# Franklin High School

## 2021 Youth Risk Behavior Survey Report Time Trends by Sex and by Grade

Winnepesaukee Public Health Region

### Introduction

The 2021 Youth Risk Behavior Survey (YRBS) report presents data which demonstrate the association between health-risk behaviors by sex and grade. We hope this report is useful in understanding high school student behaviors and assists you in developing educational programs, curriculum and communication tools to encourage and support healthy behaviors among students in your communities.

### School-level Estimates

The 2021 survey response rate at Franklin High School was 69%, meaning 185 of 269 enrolled students took the survey<sup>1</sup>. School-level estimates are unweighted and based on a convenience sample of students in attendance and not opting out of participation in the YRBS on a given date and time during the school year. Results could be less representative if specific classrooms or classroom types were not included in the survey. To account for this and provide risk-behavior estimates for the entire school, we extrapolated survey results using school enrollment data.


### State and Regional Estimates

State and regional estimates are calculated from a random sample developed using scientific survey methods. These methods ensure the respondents are representative of students in the region in the state. The results account for student, classroom, school, and regional factors. The random sample is not designed to provide school-level estimates. Note: access to region-level results were first made available in 2015 and are not available prior to that year.

Data that had a representative sample of students, appropriate documentation, and an overall response rate greater than or equal to 60%<sup>2</sup> were weighted.

This report is produced in a partnership with the NH Department of Education and the NH Department of Health and Human Services.

Responses by Sex and Grade\*



\*Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

<sup>1</sup>Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

<sup>2</sup>Overall response rate is computed as (number of participating schools/number of eligible sampled schools) X (number of usable questionnaires/number of eligible students sampled in participating schools), rounded to the nearest integer.

Regional Public Health Network Substance Misuse Prevention Coordinators are available to assist schools in coordinating community projects that promote healthy behaviors and educate school officials and stakeholders. Coordinators may also assist schools in obtaining school and community grant funding.

Your contact is:

Winnepesaukee Public Health Region: Kimbly Wade;

Phone: 603-707-5867; email: [kwade@pphnh.org](mailto:kwade@pphnh.org) ; website: <https://www.pphnh.org/>

### Help and assistance

Questions on this report

Health Statistics and Data Management

Division of Public Health Services - State of NH

[NH.YouthRiskBehaviorSurvey@dhhs.nh.gov](mailto:NH.YouthRiskBehaviorSurvey@dhhs.nh.gov); (603) 271-4988;

### Notes

You may find very small discrepancies between the 2021 estimates reported in this report and the results reported two years ago. The differences are caused by an improved data cleaning routine in the new survey. The results from this 2021 analysis and reports should be used if you find any discrepancies.

---

## Change Log

v2.0: Final report released March 13, 2023.




v1.0: Preliminary report released October 7, 2022.

**Category: Drug Use - Behaviors**  
 Number and Percent of students who tried marijuana for the first time before age 13 years

**School**  
9.6%

**Region**  
7.1%

**NH**  
4.3%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	10.5	-	6.6
2015	11.5	6.1	6.1
2017	11.2	6.8	5.3
2019	10.1	6.5	4.7
2021	9.6	7.1	4.3
<b>Sex (2021)</b>			
Female	9.8	7.0	4.1
Male	9.6	7.3	4.5
<b>Grade (2021)</b>			
09th	15.3	8.7	4.8
10th	s	5.4	4.2
11th	s	5.8	3.8
12th	17.6	7.4	3.9

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




**How the question was actually asked:** How old were you when you tried marijuana for the first time?  
 a: I have never tried marijuana; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old; e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older;  
 Numerator: bcd; denominator: abcdefg;  
 Question number: 2021q49; 2019q44; 2017q44; 2015q42; 2013q46;

**Category: Drug Use - Behaviors**  
 Number and Percent of students who currently used marijuana (one or more times) during the past 30 days

**School**  
22.6%

**Region**  
22.6%

**NH**  
17.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	24.6	-	24.4
2015	30.4	25.0	22.2
2017	31.8	22.5	23.1
2019	37.4	29.0	26.1
2021	22.6	22.6	17.8
<b>Sex (2021)</b>			
Female	24.4	23.8	18.6
Male	21.3	20.9	16.9
<b>Grade (2021)</b>			
09th	17.2	12.5	8.7
10th	27.7	18.1	13.4
11th	15.8	27.8	21.9
12th	32.4	32.2	28.2

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, how many times did you use marijuana?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;




Question number: 2021q50; 2019q45; 2017q45; 2015q43; 2013q47;

**Category: Drug Use - Behaviors**  
 Number and Percent of students who ever used synthetic marijuana (one or more times during their life)

**School**  
15.9%

**Region**  
14.3%

**NH**  
10.1%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	15.9	14.3	10.1
<b>Sex (2021)</b>			
Female	18.5	17.0	11.5
Male	13.8	11.9	8.6
<b>Grade (2021)</b>			
09th	13.8	7.4	5.9
10th	25.5	11.6	7.8
11th	16.2	19.9	12.1
12th	s	18.8	14.6

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** During your life, how many times have you used synthetic marijuana?  
 a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;  
 Numerator: bcdef; denominator: abcdef;  
 Question number: 2021q51; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Drug Use - Behaviors**  
 Number and Percent of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it

**School**  
15.3%

**Region**  
12.9%

**NH**  
9.8%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	15.3	12.9	9.8
<b>Sex (2021)</b>			
Female	18.3	16.7	11.4
Male	12.8	9.3	8.1
<b>Grade (2021)</b>			
09th	20.3	11.8	9.0
10th	17.0	12.3	9.9
11th	s	14.9	10.4
12th	s	12.2	9.7

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2021q52; 2019q999; 2017q999; 2015q999; 2013q999;


Category: Drug Use - Behaviors

Number and Percent of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times) during the past 30 days

**School**  
6.7%

**Region**  
5.0%

**NH**  
4.4%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	9.9	-	7.6
2015	7.1	7.4	6.8
2017	4.3	6.0	5.2
2019	6.5	4.6	4.3
2021	6.7	5.0	4.4
<b>Sex (2021)</b>			
Female	8.4	5.4	4.7
Male	5.3	4.4	4.1
<b>Grade (2021)</b>			
09th	s	6.0	4.0
10th	s	4.6	4.0
11th	s	5.4	4.3
12th	s	3.5	5.1

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, how many times did you take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;


Question number: 2021q53; 2019q51; 2017q51; 2015q52; 2013q55;

**Category: Drug Use - Behaviors**  
 Number and Percent of students who ever used heroin (also called smack, junk, or China White) one or more times during their life

**School**  
 Suppressed

**Region**  
 1.3%

**NH**  
 1.4%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	3.7	-	2.7
2015	3.0	2.1	2.4
2017	s	1.9	1.8
2019	s	0.7	1.5
2021	s	1.3	1.4
<b>Sex (2021)</b>			
Female	s	1.5	0.8
Male	s	1.2	1.8
<b>Grade (2021)</b>			
09th	s	1.8	0.8
10th	s	1.4	0.7
11th	s	1.0	1.6
12th	0.0	0.4	1.9

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During your life, how many times have you used heroin (also called smack, junk, or China White)?  
 a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;  
 Numerator: bcdef; denominator: abcdef;  
 Question number: 2021q54; 2019q47; 2017q46; 2015q47; 2013q51;




**Category: Drug Use - Behaviors**  
 Number and Percent of students who ever used methamphetamines (also called speed, crystal meth, crank, ice, or meth) one or more times during their life



**School**  
3.4%

**Region**  
1.9%

**NH**  
1.6%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	2.0	-	2.9
2015	3.0	1.6	2.5
2017	2.6	2.2	1.8
2019	s	0.6	1.7
2021	3.4	1.9	1.6
<b>Sex (2021)</b>			
Female	s	2.2	1.2
Male	s	1.7	1.9
<b>Grade (2021)</b>			
09th	s	2.9	0.9
10th	s	1.6	1.0
11th	s	1.0	1.7
12th	0.0	1.6	2.3



**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2021q55; 2019q48; 2017q47; 2015q48; 2013q52;




**Category: Drug Use - Behaviors**  
 Number and Percent of students who ever used ecstasy

**School**  
3.4%

**Region**  
2.1%

**NH**  
2.5%

■ School    ● Region    ▲ NH



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	3.4	2.1	2.5
<b>Sex (2021)</b>			
Female	s	1.9	2.1
Male	5.3	2.3	2.9
<b>Grade (2021)</b>			
09th	s	2.6	1.3
10th	s	2.8	1.9
11th	s	1.3	2.9
12th	0.0	1.1	3.5

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During your life, how many times have you used ecstasy (also called MDMA or Molly)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;


Question number: 2021q56; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Drug Use - Behaviors**  
 Number and Percent of students who were offered, sold, or given an illegal drug on school property during the past 12 months



**School**  
17.3%

**Region**  
17.9%

**NH**  
15.9%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	17.7	-	20.1
2015	16.0	13.2	16.5
2017	16.8	17.4	16.3
2019	26.3	21.5	20.3
2021	17.3	17.9	15.9
<b>Sex (2021)</b>			
Female	15.5	18.2	16.5
Male	19.1	17.9	15.3
<b>Grade (2021)</b>			
09th	18.3	14.7	13.5
10th	17.0	15.2	14.5
11th	13.2	18.6	17.4
12th	20.6	23.2	18.2



**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2021q57; 2019q52; 2017q52; 2015q53; 2013q56;

**Category: Drug Use - Perceptions**  
 Number and Percent of students who recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs during the past 12 months

**School**  
63.5%

**Region**  
62.8%

**NH**  
59.6%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	65.9	-	66.9
2015	75.8	75.8	79.6
2017	62.2	63.8	68.6
2019	67.9	75.0	70.2
2021	63.5	62.8	59.6
<b>Sex (2021)</b>			
Female	65.1	65.1	61.8
Male	62.8	60.6	57.7
<b>Grade (2021)</b>			
09th	68.3	61.0	55.8
10th	66.0	67.1	60.9
11th	48.6	65.5	61.5
12th	67.6	57.6	61.0

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, do you recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;

Question number: 2021q58; 2019q53; 2017q53; 2015q78; 2013q99;




Category: Drug Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

**School**  
38.7%

**Region**  
46.7%

**NH**  
48.9%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	63.1	-	63.0
2015	61.4	62.0	62.8
2017	66.4	60.8	63.2
2019	51.7	57.2	56.7
2021	38.7	46.7	48.9
<b>Sex (2021)</b>			
Female	41.5	48.7	52.1
Male	36.3	45.2	46.2
<b>Grade (2021)</b>			
09th	30.5	41.1	44.6
10th	34.8	43.5	47.1
11th	55.9	51.7	51.6
12th	41.2	51.6	53.2

Notes

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How much do you think people risk harming themselves (physically or in other ways) if they take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk;

Numerator: d; denominator: abcd;


Question number: 2021q95; 2019q90; 2017q87; 2015q86; 2013q84;

**Category: Drug Use - Perceptions**  
 Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to smoke marijuana



**School**  
40.8%

**Region**  
39.4%

**NH**  
45.5%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	41.2	-	41.0
2015	31.1	44.1	42.9
2017	25.0	36.6	37.3
2019	28.6	33.0	37.7
2021	40.8	39.4	45.5
<b>Sex (2021)</b>			
Female	43.9	38.5	44.6
Male	37.4	40.6	46.8
<b>Grade (2021)</b>			
09th	50.8	56.2	63.0
10th	39.1	43.3	50.3
11th	34.3	33.1	38.8
12th	32.4	23.1	28.3



**Notes**

- \*: School results are calculated using non-scientific survey data.
- +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How wrong do your friends feel it would be for you to smoke marijuana?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;




Question number: 2021q97; 2019q92; 2017q90; 2015q89; 2013q87;

**Category: Drug Use - Perceptions**  
 Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

**School**  
74.6%

**Region**  
77.6%

**NH**  
81.1%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	78.9	-	77.7
2015	75.7	82.1	81.4
2017	77.2	77.0	80.5
2019	71.4	81.7	83.6
2021	74.6	77.6	81.1
<b>Sex (2021)</b>			
Female	75.3	79.4	83.1
Male	73.6	76.3	79.7
<b>Grade (2021)</b>			
09th	69.0	75.6	79.8
10th	73.9	74.6	81.4
11th	85.7	86.0	81.4
12th	73.5	73.9	82.3

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How wrong do your friends feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;


Question number: 2021q98; 2019q93; 2017q91; 2015q90; 2013q88;

**Category: Drug Use - Perceptions**  
 Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to smoke marijuana

**School**  
71.8%

**Region**  
73.1%

**NH**  
79.7%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	77.6	-	82.4
2015	73.8	80.3	83.0
2017	67.4	75.9	78.8
2019	66.8	74.8	78.5
2021	71.8	73.1	79.7
<b>Sex (2021)</b>			
Female	69.5	73.4	79.8
Male	73.6	72.3	79.8
<b>Grade (2021)</b>			
09th	76.3	81.5	86.7
10th	71.7	75.9	84.1
11th	80.0	74.5	77.9
12th	55.9	59.3	69.5

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How wrong do your parents feel it would be for you to smoke marijuana?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2021q101; 2019q96; 2017q94; 2015q93; 2013q91;






**Category: Drug Use - Perceptions**  
 Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

**School**  
91.3%

**Region**  
92.1%

**NH**  
93.0%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	94.6	-	94.1
2015	94.0	94.5	94.9
2017	92.2	93.5	94.2
2019	92.3	95.2	95.5
2021	91.3	92.1	93.0
<b>Sex (2021)</b>			
Female	89.0	92.1	93.2
Male	93.3	91.9	93.1
<b>Grade (2021)</b>			
09th	86.2	89.6	92.5
10th	93.5	91.8	93.6
11th	91.2	95.2	93.4
12th	97.1	92.2	93.1

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How wrong do your parents feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;




Question number: 2021q102; 2019q97; 2017q95; 2015q94; 2013q92;

**Category: Drug Use - Perceptions**  
**Number and Percent of students who think it would be very easy for them to get some marijuana if they wanted to**

**School**  
36.4%

**Region**  
35.0%

**NH**  
24.4%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	45.9	-	47.1
2015	52.4	41.7	41.6
2017	50.9	43.9	41.4
2019	51.4	43.8	39.0
2021	36.4	35.0	24.4
<b>Sex (2021)</b>			
Female	39.5	35.9	24.8
Male	34.1	34.6	24.2
<b>Grade (2021)</b>			
09th	27.6	22.2	14.5
10th	37.0	30.7	18.9
11th	34.3	38.7	28.3
12th	52.9	49.6	36.9

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** If you wanted to get some marijuana, how hard or easy would it be for you to get some?  
 a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;  
 Numerator: d; denominator: abcd;  
 Question number: 2021q104; 2019q99; 2017q98; 2015q98; 2013q96;


Category: Drug Use - Perceptions

Number and Percent of students who think it would be very easy for them to get some prescription drug without a doctor's prescription if they wanted to (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)



**School**  
7.6%

**Region**  
6.8%

**NH**  
6.3%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	14.5	-	17.1
2015	12.0	14.3	14.7
2017	13.9	12.8	13.5
2019	14.2	10.4	10.0
2021	7.6	6.8	6.3
<b>Sex (2021)</b>			
Female	s	4.7	6.5
Male	9.9	8.2	6.1
<b>Grade (2021)</b>			
09th	s	6.2	6.3
10th	10.9	7.1	5.6
11th	s	6.0	5.7
12th	s	7.9	7.2



**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** If you wanted to get a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription, how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;

Numerator: d; denominator: abcd;


Question number: 2021q105; 2019q100; 2017q99; 2015q99; 2013q98;

**Category: Alcohol Use - Behaviors**  
 Number and Percent of students who drove a car or other vehicle when they had been drinking alcohol (one or more times, among students who had driven a car or other vehicle) during the past 30 days

**School**  
6.3%

**Region**  
5.1%

**NH**  
4.6%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	8.8	-	8.4
2015	10.3	9.5	6.3
2017	6.7	5.4	5.8
2019	10.6	4.4	4.7
2021	6.3	5.1	4.6
<b>Sex (2021)</b>			
Female	s	4.9	4.0
Male	s	5.3	5.0
<b>Grade (2021)</b>			
09th	s	11.0	3.8
10th	s	1.5	1.4
11th	s	3.3	4.1
12th	0.0	6.3	6.7

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

a: I did not drive a car or other vehicle during the past 30 days; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;




Question number: 2021q13; 2019q13; 2017q13; 2015q13; 2013q13;

**Category: Alcohol Use - Behaviors**  
**Number and Percent of students who had their first drink of alcohol before age 13 years (other than a few sips)**

**School**  
12.9%

**Region**  
11.4%

**NH**  
10.0%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	17.0	-	11.9
2015	17.9	13.0	10.8
2017	18.8	13.0	10.7
2019	18.2	10.9	10.4
2021	12.9	11.4	10.0
<b>Sex (2021)</b>			
Female	17.7	10.1	10.1
Male	8.8	12.5	9.8
<b>Grade (2021)</b>			
09th	18.2	14.0	13.0
10th	s	11.2	9.5
11th	13.5	10.7	7.9
12th	s	9.1	8.7

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** How old were you when you had your first drink of alcohol other than a few sips?  
 a: I have never had a drink of alcohol other than a few sips; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old; e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older;  
 Numerator: bcd; denominator: abcdefg;  
 Question number: 2021q45; 2019q40; 2017q40; 2015q38; 2013q40;

**Category: Alcohol Use - Behaviors**  
 Number and Percent of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day) during the past 30 days



**School**  
20.4%

**Region**  
21.2%

**NH**  
21.3%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	34.3	-	32.9
2015	41.7	34.5	29.9
2017	33.2	30.2	29.6
2019	32.4	29.9	26.8
2021	20.4	21.2	21.3
<b>Sex (2021)</b>			
Female	26.9	25.4	24.8
Male	14.8	17.5	18.1
<b>Grade (2021)</b>			
09th	18.2	10.2	10.2
10th	24.4	17.7	16.0
11th	13.9	23.4	23.5
12th	25.8	34.3	37.1



**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, on how many days did you have at least one drink of alcohol?

a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days;

Numerator: bcdefg; denominator: abcdefg;

Question number: 2021q46; 2019q41; 2017q41; 2015q39; 2013q41;




Category: Alcohol Use - Behaviors

Number and Percent of students who currently were binge drinking (had 4 or more drinks of alcohol in a row for female students or 5 or more drinks of alcohol in a row for male students, on at least 1 day) during the past 30 days

**School**  
7.3%

**Region**  
11.6%

**NH**  
11.2%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	17.2	17.1	14.4
2021	7.3	11.6	11.2
<b>Sex (2021)</b>			
Female	6.0	13.6	12.0
Male	8.5	10.0	10.5
<b>Grade (2021)</b>			
09th	8.3	4.9	3.9
10th	s	7.9	6.9
11th	s	12.5	13.0
12th	s	20.9	21.7

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?

a: 0 days; b: 1 day; c: 2 days; d: 3 to 5 days; e: 6 to 9 days; f: 10 to 19 days; g: 20 or more days;

Numerator: bcdefg; denominator: abcdefg;


Question number: 2021q47; 2019q42; 2017q999; 2015q999; 2013q999;

**Category: Alcohol Use - Behaviors**  
 Number and Percent of students who usually got the alcohol they drank by someone giving it to them (among students who currently drank alcohol) during the past 30 days

**School**  
32.4%

**Region**  
41.3%

**NH**  
40.5%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	33.0	-	40.3
2015	27.8	39.5	42.3
2017	34.7	39.2	40.1
2019	25.4	32.8	35.9
2021	32.4	41.3	40.5
<b>Sex (2021)</b>			
Female	42.9	52.8	43.9
Male	s	26.5	36.3
<b>Grade (2021)</b>			
09th	s	42.3	30.9
10th	45.5	43.7	41.2
11th	s	50.4	39.7
12th	s	34.2	44.9

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, how did you usually get the alcohol you drank?  
 a: I did not drink alcohol during the past 30 days; b: I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station; c: I bought it at a restaurant, bar, or club; d: I bought it at a public event such as a concert or sporting event; e: I gave someone else money to buy it for me; f: Someone gave it to me; g: I took it from a store or family member; h: I got it some other way;  
 Numerator: f; denominator: bcdefgh;  
 Question number: 2021q48; 2019q43; 2017q43; 2015q41; 2013q44;




Category: Alcohol Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine, or liquor)

**School**  
54.7%

**Region**  
55.9%

**NH**  
62.7%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	44.7	-	53.3
2015	43.4	51.8	57.1
2017	40.7	49.8	56.7
2019	53.8	58.3	65.4
2021	54.7	55.9	62.7
<b>Sex (2021)</b>			
Female	56.2	57.5	65.0
Male	52.7	54.9	61.0
<b>Grade (2021)</b>			
09th	56.9	64.3	68.7
10th	51.1	57.9	62.9
11th	57.1	56.1	61.1
12th	52.9	45.3	57.9

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;


Question number: 2021q96; 2019q91; 2017q89; 2015q88; 2013q86;

**Category: Alcohol Use - Perceptions**  
 Number and Percent of students who approve or strongly approve of someone their age having one or two drinks of alcohol nearly every day (beer, wine, or liquor)

**School**  
6.4%

**Region**  
5.4%

**NH**  
5.0%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	7.5	-	7.3
2015	6.4	8.4	8.1
2017	7.0	6.0	6.3
2019	10.4	6.6	5.0
2021	6.4	5.4	5.0
<b>Sex (2021)</b>			
Female	6.2	5.0	4.3
Male	6.6	6.0	5.8
<b>Grade (2021)</b>			
09th	8.5	5.1	4.5
10th	s	4.8	4.3
11th	s	3.7	5.4
12th	s	7.9	6.0

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How do you feel about someone your age having one or two drinks of alcohol (beer, wine, or liquor) nearly every day?

a: Strongly approve; b: Approve; c: Neither approve nor disapprove; d: Disapprove; e: Strongly disapprove;

Numerator: ab; denominator: abcde;

Question number: 2021q99; 2019q94; 2017q92; 2015q95; 2013q93;

Category: Alcohol Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine or liquor)

**School**  
86.2%

**Region**  
85.8%

**NH**  
87.9%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	84.0	-	88.7
2015	85.7	88.4	89.3
2017	83.9	87.7	89.1
2019	83.6	90.0	90.9
2021	86.2	85.8	87.9
<b>Sex (2021)</b>			
Female	91.5	87.2	89.2
Male	82.4	84.3	87.0
<b>Grade (2021)</b>			
09th	88.1	91.0	89.4
10th	87.0	84.5	89.3
11th	85.7	86.3	88.2
12th	82.4	81.9	85.3

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;


Question number: 2021q100; 2019q95; 2017q93; 2015q92; 2013q90;

**Category: Alcohol Use - Perceptions**  
 Number and Percent of students who think it would be very easy for them to get some alcohol if they wanted to  
 (beer, wine, or liquor)



**School**  
23.1%

**Region**  
29.0%

**NH**  
25.1%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	33.6	-	41.5
2015	38.2	37.4	37.6
2017	44.3	38.3	38.9
2019	30.1	32.2	31.6
2021	23.1	29.0	25.1
<b>Sex (2021)</b>			
Female	24.7	29.9	25.6
Male	22.0	29.0	24.7
<b>Grade (2021)</b>			
09th	25.9	22.8	19.4
10th	17.4	25.4	21.1
11th	25.7	30.1	25.7
12th	23.5	38.2	34.2



**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** If you wanted to get some alcohol (beer, wine, or liquor) how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;

Numerator: d; denominator: abcd;


Question number: 2021q103; 2019q98; 2017q97; 2015q97; 2013q95;

**Category: Sexual and Dating Violence**  
 Number and Percent of students who were ever physically forced to have sexual intercourse when they did not want to

**School**  
9.4%

**Region**  
10.9%

**NH**  
8.8%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	7.4	-	5.7
2015	7.4	7.7	6.3
2017	10.6	7.5	5.8
2019	10.8	9.4	6.7
2021	9.4	10.9	8.8
<b>Sex (2021)</b>			
Female	17.1	19.0	13.9
Male	s	3.4	3.7
<b>Grade (2021)</b>			
09th	s	7.3	5.4
10th	10.9	9.0	7.9
11th	s	12.1	9.5
12th	18.2	15.6	12.8

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** Have you ever been physically forced to have sexual intercourse when you did not want to?  
 a: Yes; b: No;  
 Numerator: a; denominator: ab;  
 Question number: 2021q22; 2019q20; 2017q20; 2015q18; 2013q18;

**Category: Sexual and Dating Violence**  
 Number and Percent of students who have ever been made do unwanted sexual things by an adult or person at least 5 years older than themselves

**School**  
9.5%

**Region**  
10.5%

**NH**  
7.9%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	9.5	10.5	7.9
<b>Sex (2021)</b>			
Female	15.9	17.2	12.3
Male	s	2.8	3.4
<b>Grade (2021)</b>			
09th	s	9.8	6.0
10th	19.1	8.8	7.7
11th	s	12.3	8.2
12th	14.7	10.7	9.7

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** Has an adult or person at least 5 years older than you ever made you do sexual things that you did not want to do? (Count such things as kissing, touching, or being made to have sexual intercourse.)

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2021q23; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Sexual and Dating Violence**  
 Number and Percent of students who experienced sexual violence (being forced by anyone to do sexual things that they did not want to, one or more times) during the past 12 months

**School**  
10.3%

**Region**  
12.1%

**NH**  
11.4%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	11.1	10.6	9.5
2019	16.4	11.5	10.1
2021	10.3	12.1	11.4
<b>Sex (2021)</b>			
Female	19.5	21.1	17.7
Male	s	2.9	5.2
<b>Grade (2021)</b>			
09th	s	9.3	8.5
10th	15.6	12.1	10.6
11th	s	13.7	12.5
12th	15.6	13.2	14.2

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;

Numerator: bcde; denominator: abcde;




Question number: 2021q24; 2019q21; 2017q21; 2015q999; 2013q999;

**Category: Sexual and Dating Violence**  
 Number and Percent of students who experienced sexual dating violence (one or more times, among students who dated or went out with someone during the past 12 months)

**School**  
9.8%

**Region**  
11.2%

**NH**  
9.6%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	14.5	-	10.2
2015	13.6	14.4	11.7
2017	10.5	8.0	7.3
2019	11.7	9.1	7.8
2021	9.8	11.2	9.6
<b>Sex (2021)</b>			
Female	16.0	18.7	15.4
Male	s	2.0	3.3
<b>Grade (2021)</b>			
09th	s	6.3	6.7
10th	s	13.5	9.8
11th	s	15.0	10.4
12th	s	8.3	10.8

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)  
 a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;  
 Numerator: cdef; denominator: bcdef;  
 Question number: 2021q25; 2019q22; 2017q22; 2015q19; 2013q20;




**Category: Sexual and Dating Violence**  
 Number and Percent of students who experienced physical dating violence (one or more times, among students who dated or went out with someone) during the past 12 months



**School**  
12.0%

**Region**  
8.7%

**NH**  
8.7%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	10.9	-	7.4
2015	13.0	10.2	7.8
2017	12.3	9.2	7.9
2019	9.8	9.6	7.0
2021	12.0	8.7	8.7
<b>Sex (2021)</b>			
Female	16.4	11.2	11.1
Male	s	5.3	5.8
<b>Grade (2021)</b>			
09th	15.2	5.0	6.0
10th	s	9.3	9.4
11th	s	10.8	8.3
12th	s	8.3	10.1



**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 2021q26; 2019q23; 2017q23; 2015q21; 2013q19;


Category: Sexual and Dating Violence

Number and Percent of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (among students who dated or went out with someone) during the past 12 months

**School**  
32.1%

**Region**  
35.3%

**NH**  
31.8%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	28.7	28.5	25.5
2019	33.6	32.8	26.5
2021	32.1	35.3	31.8
<b>Sex (2021)</b>			
Female	48.1	44.9	40.3
Male	16.7	22.7	22.4
<b>Grade (2021)</b>			
09th	30.3	30.0	29.2
10th	34.5	37.8	33.4
11th	19.2	42.6	33.2
12th	47.6	29.6	31.3

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, how many times did someone you were dating or going out with purposely try to control you or emotionally hurt you? (Count such things as being told who you could and could not spend time with, being humiliated in front of others, or being threatened if you did not do what they wanted.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times; Numerator: cdef; denominator: bcdef;


Question number: 2021q27; 2019q24; 2017q24; 2015q999; 2013q999;

**Category: Sexual and Dating Violence**  
 Number and Percent of students who have experienced an unwanted sexual advance because of another student's drinking (one or more times) during the past 12 months

**School**  
4.4%

**Region**  
5.9%

**NH**  
4.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	5.7	-	6.8
2015	5.6	5.9	5.5
2017	-	-	-
2019	6.5	7.1	4.9
2021	4.4	5.9	4.8
<b>Sex (2021)</b>			
Female	7.2	10.0	6.8
Male	s	2.3	2.9
<b>Grade (2021)</b>			
09th	s	4.4	1.8
10th	0.0	3.9	3.5
11th	s	5.7	6.6
12th	s	9.4	7.6

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** During the past 12 months, how many times have you experienced an unwanted sexual advance because of another student's drinking?  
 a: I did not experience an unwanted sexual advance during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;  
 Numerator: cdef; denominator: abcdef;  
 Question number: 2021q28; 2019q25; 2017q999; 2015q20; 2013q21;

**Category: Sexual and Dating Violence**  
 Number and Percent of students who forced someone they were dating or going out with to do sexual things that they did not want to do (among students who dated or went out with someone) during the past 12 months

**School**  
Suppressed

**Region**  
1.4%

**NH**  
2.7%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	3.6	2.5	2.2
2019	s	2.2	1.5
2021	s	1.4	2.7
<b>Sex (2021)</b>			
Female	s	0.2	1.8
Male	s	3.0	3.7
<b>Grade (2021)</b>			
09th	s	1.5	2.7
10th	s	1.6	2.1
11th	0.0	0.9	2.8
12th	0.0	1.7	3.1

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, did you ever force someone you were dating or going out with to do sexual things that they did not want to do? (Count such things as kissing, touching, or physically forcing them to have sexual intercourse.)

a: I did not date or go out with anyone during the past 12 months; b: Yes; c: No;

Numerator: b; denominator: bc;




Question number: 2021q29; 2019q26; 2017q25; 2015q999; 2013q999;

**Category: Sexual Risk - Behaviors**  
 Number and Percent of students who ever had sexual intercourse

**School**  
30.7%

**Region**  
34.9%

**NH**  
29.3%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	51.2	-	42.8
2015	48.9	42.6	39.4
2017	46.4	42.0	38.9
2019	46.1	48.1	39.8
2021	30.7	34.9	29.3
<b>Sex (2021)</b>			
Female	33.8	38.0	30.6
Male	28.4	32.4	28.0
<b>Grade (2021)</b>			
09th	14.8	15.5	10.5
10th	37.8	26.5	22.6
11th	27.3	42.1	36.2
12th	51.6	58.3	50.3

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** Have you ever had sexual intercourse?

a: Yes; b: No;

Numerator: a; denominator: ab;




Question number: 2021q59; 2019q54; 2017q54; 2015q54; 2013q57;

**Category: Sexual Risk - Behaviors**  
 Number and Percent of students who had sexual intercourse for the first time before age 13 years

**School**  
6.1%

**Region**  
3.2%

**NH**  
2.3%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	3.5	-	4.0
2015	3.8	2.1	2.8
2017	4.9	3.1	2.4
2019	3.9	2.2	2.3
2021	6.1	3.2	2.3
<b>Sex (2021)</b>			
Female	s	2.7	2.1
Male	8.0	3.8	2.4
<b>Grade (2021)</b>			
09th	9.1	4.2	2.5
10th	s	2.3	2.2
11th	s	2.7	1.7
12th	s	3.7	2.6

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




**How the question was actually asked:** How old were you when you had sexual intercourse for the first time?  
 a: I have never had sexual intercourse; b: 11 years old or younger; c: 12 years old; d: 13 years old; e: 14 years old; f: 15 years old; g: 16 years old; h: 17 years old or older;  
 Numerator: bc; denominator: abcdefgh;  
 Question number: 2021q60; 2019q55; 2017q55; 2015q55; 2013q58;

**Category: Sexual Risk - Behaviors**  
 Number and Percent of students who had sexual intercourse with four or more persons during their life

**School**  
6.1%

**Region**  
6.3%

**NH**  
4.9%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	11.7	10.4	8.6
2019	8.9	10.6	7.2
2021	6.1	6.3	4.9
<b>Sex (2021)</b>			
Female	s	6.9	4.8
Male	6.8	5.7	4.9
<b>Grade (2021)</b>			
09th	s	1.8	1.3
10th	s	4.0	2.8
11th	s	5.4	5.0
12th	s	14.5	10.7

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** During your life, with how many people have you had sexual intercourse?  
 a: I have never had sexual intercourse; b: 1 person; c: 2 people; d: 3 people; e: 4 people; f: 5 people; g: 6 or more people;  
 Numerator: efg; denominator: abcdefg;  
 Question number: 2021q61; 2019q56; 2017q56; 2015q999; 2013q999;

**Category: Sexual Risk - Behaviors**  
 Number and Percent of students who were currently sexually active (had sexual intercourse with at least one person) during the past 3 months



**School**  
21.8%

**Region**  
25.3%

**NH**  
21.3%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	38.9	-	35.2
2015	39.9	33.6	31.3
2017	36.9	32.3	29.8
2019	32.4	37.4	29.7
2021	21.8	25.3	21.3
<b>Sex (2021)</b>			
Female	27.6	27.6	23.3
Male	17.0	23.2	19.5
<b>Grade (2021)</b>			
09th	10.9	11.1	6.3
10th	23.9	16.5	14.3
11th	21.2	31.1	27.7
12th	38.7	44.9	38.7



**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

**How the question was actually asked:** During the past 3 months, with how many people did you have sexual intercourse?  
 a: I have never had sexual intercourse; b: I have had sexual intercourse, but not during the past 3 months; c: 1 person; d: 2 people; e: 3 people; f: 4 people; g: 5 people; h: 6 or more people;  
 Numerator: cdefgh; denominator: abcdefgh;  
 Question number: 2021q62; 2019q57; 2017q57; 2015q56; 2013q59;




**Category: Sexual Risk - Behaviors**  
 Number and Percent of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)

**School**  
19.2%

**Region**  
17.6%

**NH**  
19.0%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	10.9	-	20.7
2015	16.3	20.8	18.9
2017	16.7	19.9	18.7
2019	24.4	23.5	19.6
2021	19.2	17.6	19.0
<b>Sex (2021)</b>			
Female	22.2	19.7	18.6
Male	s	14.7	19.2
<b>Grade (2021)</b>			
09th	s	17.2	17.9
10th	38.9	16.8	15.2
11th	s	12.2	18.3
12th	s	21.0	20.8

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** Did you drink alcohol or use drugs before you had sexual intercourse the last time?  
 a: I have never had sexual intercourse; b: Yes; c: No;  
 Numerator: b; denominator: bc;  
 Question number: 2021q63; 2019q58; 2017q58; 2015q57; 2013q60;

**Category: Sexual Risk - Behaviors**  
 Number and Percent of students who used a condom during last sexual intercourse

**School**  
41.2%

**Region**  
50.0%

**NH**  
51.5%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	41.2	50.0	51.5
<b>Sex (2021)</b>			
Female	42.3	42.8	47.3
Male	40.0	60.1	56.9
<b>Grade (2021)</b>			
09th	s	47.3	55.3
10th	47.1	67.5	56.0
11th	77.8	60.0	52.9
12th	s	37.1	48.6

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** The last time you had sexual intercourse, did you or your partner use a condom?  
 a: I have never had sexual intercourse; b: Yes; c: No;  
 Numerator: b; denominator: bc;  
 Question number: 2021q64; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Sexual Risk - Behaviors**  
 Number and Percent of students who used birth control pills before last sexual intercourse with opposite-sex partner

**School**  
14.6%

**Region**  
19.9%

**NH**  
29.2%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	14.6	19.9	29.2
<b>Sex (2021)</b>			
Female	20.0	24.4	34.4
Male	s	15.2	23.9
<b>Grade (2021)</b>			
09th	s	10.3	14.5
10th	s	10.1	23.7
11th	0.0	24.2	29.2
12th	s	24.0	34.2

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

a: I have never had sexual intercourse with an opposite-sex partner; b: No method was used to prevent pregnancy; c: Birth control pills (Do not count emergency contraception such as Plan B or the “morning after” pill.); d: Condoms; e: An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); f: A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing); g: Withdrawal or some other method;

Numerator: c; denominator: bcdefgh;




Question number: 2021q65; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Suicide, Sadness and Helplessness**  
 Number and Percent of students who ever felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities) during the past 12 months

**School**  
50.3%

**Region**  
48.6%

**NH**  
44.2%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	32.2	-	25.4
2015	35.3	31.8	27.2
2017	34.9	31.0	28.0
2019	43.0	40.8	33.6
2021	50.3	48.6	44.2
<b>Sex (2021)</b>			
Female	67.9	64.3	57.5
Male	35.4	32.7	30.7
<b>Grade (2021)</b>			
09th	54.1	45.1	40.6
10th	53.2	45.5	42.5
11th	33.3	51.9	46.5
12th	58.8	52.5	47.5

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

a: Yes; b: No;

Numerator: a; denominator: ab;




Question number: 2021q35; 2019q30; 2017q29; 2015q26; 2013q25;

**Category: Suicide, Sadness and Helplessness**  
**Number and Percent of students who ever seriously considered attempting suicide during the past 12 months**

**School**  
32.2%

**Region**  
28.2%

**NH**  
24.7%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	15.5	-	14.4
2015	19.3	18.7	15.3
2017	20.2	20.0	16.1
2019	31.7	21.4	18.4
2021	32.2	28.2	24.7
<b>Sex (2021)</b>			
Female	47.6	39.6	32.0
Male	18.9	16.4	16.9
<b>Grade (2021)</b>			
09th	35.0	29.9	23.6
10th	42.6	29.7	24.9
11th	17.9	26.9	24.6
12th	29.4	25.9	25.9

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, did you ever seriously consider attempting suicide?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2021q36; 2019q31; 2017q30; 2015q27; 2013q26;

**Category: Suicide, Sadness and Helplessness**  
 Number and Percent of students who made a plan about how they would attempt suicide during the past 12 months

**School**  
22.3%

**Region**  
21.5%

**NH**  
19.3%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	18.0	14.6	13.3
2021	22.3	21.5	19.3
<b>Sex (2021)</b>			
Female	31.3	27.7	24.6
Male	14.7	15.0	13.7
<b>Grade (2021)</b>			
09th	26.7	22.2	19.2
10th	19.6	22.5	18.3
11th	15.4	21.4	19.7
12th	26.5	19.0	19.6

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, did you make a plan about how you would attempt suicide?

a: Yes; b: No;

Numerator: a; denominator: ab;




Question number: 2021q37; 2019q32; 2017q999; 2015q999; 2013q999;

**Category: Suicide, Sadness and Helplessness**  
 Number and Percent of students who attempted suicide (one or more times) during the past 12 months

**School**  
17.5%

**Region**  
13.4%

**NH**  
9.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	8.3	-	6.7
2015	9.6	8.0	6.8
2017	8.2	7.8	5.9
2019	7.6	7.8	7.0
2021	17.5	13.4	9.8
<b>Sex (2021)</b>			
Female	23.7	18.6	13.0
Male	12.4	7.4	6.3
<b>Grade (2021)</b>			
09th	22.6	14.1	9.7
10th	21.3	14.2	10.0
11th	s	14.4	9.5
12th	s	9.9	9.5

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** During the past 12 months, how many times did you actually attempt suicide?  
 a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;  
 Numerator: bcde; denominator: abcde;  
 Question number: 2021q38; 2019q33; 2017q31; 2015q28; 2013q27;

**Category: Suicide, Sadness and Helplessness**  
 Number and Percent of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months

**School**  
5.4%

**Region**  
3.1%

**NH**  
2.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	4.7	-	2.5
2015	4.0	2.1	2.5
2017	4.3	2.6	2.0
2019	4.7	1.8	2.0
2021	5.4	3.1	2.8
<b>Sex (2021)</b>			
Female	7.9	4.5	3.9
Male	s	1.4	1.5
<b>Grade (2021)</b>			
09th	s	2.1	2.6
10th	s	2.0	2.8
11th	s	6.1	2.9
12th	s	1.4	2.6

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

a: I did not attempt suicide during the past 12 months; b: Yes; c: No;

Numerator: b; denominator: abc;

Question number: 2021q39; 2019q34; 2017q32; 2015q29; 2013q28;




**Category: Suicide, Sadness and Helplessness**  
 Number and Percent of students who never or rarely got help they need when they felt sad, empty, hopeless, angry, or anxious

**School**  
62.8%

**Region**  
60.5%

**NH**  
57.1%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	62.8	60.5	57.1
<b>Sex (2021)</b>			
Female	68.6	60.7	57.6
Male	56.9	61.3	56.3
<b>Grade (2021)</b>			
09th	58.1	58.8	57.8
10th	63.6	62.8	58.1
11th	60.9	59.3	56.3
12th	70.0	61.1	56.2

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** When you feel sad, empty, hopeless, angry, or anxious, how often do you get the kind of help you need?

a: I do not feel sad, empty, hopeless, angry, or anxious; b: Never; c: Rarely; d: Sometimes; e: Most of the time; f: Always;

Numerator: bc; denominator: bcdef;




Question number: 2021q40; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Tobacco Use - Behaviors**  
 Number and Percent of students who ever used an electronic vapor product

**School**  
39.4%

**Region**  
38.3%

**NH**  
31.0%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	54.3	41.7	41.1
2019	60.0	54.9	49.8
2021	39.4	38.3	31.0
<b>Sex (2021)</b>			
Female	47.6	42.3	34.4
Male	32.6	34.6	27.8
<b>Grade (2021)</b>			
09th	31.7	25.1	19.3
10th	42.6	31.2	26.8
11th	35.9	45.2	35.0
12th	52.9	52.6	44.1

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** Have you ever used an electronic vapor product?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2021q41; 2019q37; 2017q36; 2015q999; 2013q999;

**Category: Tobacco Use - Behaviors**  
 Number and Percent of students who currently used an electronic vapor product (on at least 1 day) during the past 30 days

**School**  
21.2%

**Region**  
18.9%

**NH**  
16.2%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	34.1	28.9	25.0
2017	30.6	22.2	23.8
2019	48.6	38.9	33.8
2021	21.2	18.9	16.2
<b>Sex (2021)</b>			
Female	23.4	21.8	18.9
Male	19.6	16.8	13.7
<b>Grade (2021)</b>			
09th	17.5	12.4	9.3
10th	26.1	15.0	12.8
11th	19.4	22.3	19.6
12th	22.6	26.0	24.1

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, on how many days did you use an electronic vapor product?  
 a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days;  
 Numerator: bcdefg; denominator: abcdefg;  
 Question number: 2021q42; 2019q38; 2017q37; 2015q37; 2013q999;


Category: Tobacco Use - Behaviors

Number and Percent of students who usually got their electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station (among students who currently used electronic vapor products) during the 30 days before the survey

**School**  
0.0%

**Region**  
0.0%

**NH**  
5.2%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	0.0	0.0	5.2
<b>Sex (2021)</b>			
Female	0.0	0.0	4.0
Male	0.0	0.0	6.8
<b>Grade (2021)</b>			
09th	0.0	0.0	0.3
10th	0.0	0.0	3.7
11th	0.0	0.0	5.6
12th	0.0	0.0	7.8

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, how did you usually get your electronic vapor products? (Select only one response.)

a: I did not use any electronic vapor products during the past 30 days; b: I got or bought them from a friend, family member, or someone else; c: I bought them myself in a vape shop or tobacco shop; d: I bought them myself in a convenience store, supermarket, discount store, or gas station; e: I bought them myself at a mall or shopping center kiosk or stand; f: I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist; g: I took them from a store or another person;

Numerator: d; denominator: bcdefgh;

Question number: 2021q43; 2019q999; 2017q999; 2015q999; 2013q999;




Category: Tobacco Use - Behaviors

Number and Percent of students who tried to quit using all tobacco products (including cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco, among students who used any tobacco products) during the 12 months before the survey

**School**  
65.3%

**Region**  
52.8%

**NH**  
48.5%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	65.3	52.8	48.5
<b>Sex (2021)</b>			
Female	61.5	62.0	51.2
Male	69.6	44.8	45.3
<b>Grade (2021)</b>			
09th	68.8	57.7	49.6
10th	61.5	49.4	50.2
11th	70.0	57.4	46.1
12th	60.0	48.7	49.0

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, did you ever try to quit using all tobacco products?

a: I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months; b: Yes; c: No;

Numerator: b; denominator: bc;


Question number: 2021q44; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Vehicle and Bicycle Safety**  
 Number and Percent of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle) during the past 12 months



**School**  
68.6%

**Region**  
63.8%

**NH**  
57.3%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	80.6	-	60.0
2015	78.6	65.3	56.3
2017	80.6	59.9	57.4
2019	83.7	58.8	54.4
2021	68.6	63.8	57.3
<b>Sex (2021)</b>			
Female	68.6	65.3	57.3
Male	68.7	62.5	57.5
<b>Grade (2021)</b>			
09th	56.5	53.7	54.2
10th	84.0	60.4	54.8
11th	70.4	72.8	61.6
12th	75.0	73.4	60.0



**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** When you rode a bicycle during the past 12 months, how often did you wear a helmet?  
 a: I did not ride a bicycle during the past 12 months; b: Never wore a helmet; c: Rarely wore a helmet; d: Sometimes wore a helmet; e: Most of the time wore a helmet; f: Always wore a helmet;  
 Numerator: bc; denominator: bcdef;  
 Question number: 2021q9; 2019q9; 2017q9; 2015q9; 2013q9;

**Category: Vehicle and Bicycle Safety**  
 Number and Percent of students who did not always wear a seat belt (when riding in a car driven by someone else)



**School**  
41.5%

**Region**  
34.4%

**NH**  
32.6%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	53.5	-	42.8
2015	52.8	46.3	39.9
2017	53.2	38.8	37.2
2019	50.0	37.2	32.6
2021	41.5	34.4	32.6
<b>Sex (2021)</b>			
Female	42.4	35.7	33.8
Male	41.2	33.5	31.3
<b>Grade (2021)</b>			
09th	36.1	29.7	33.1
10th	53.2	36.9	31.6
11th	40.0	29.9	32.6
12th	37.1	40.9	32.1



**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How often do you wear a seat belt when riding in a car driven by someone else?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: abcd; denominator: abcde;


Question number: 2021q10; 2019q10; 2017q11; 2015q11; 2013q11;

**Category: Vehicle and Bicycle Safety**  
 Number and Percent of students who rarely or never wear a seat belt when driving (among students who drive a car)

**School**  
6.1%

**Region**  
6.1%

**NH**  
4.5%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	9.3	-	8.3
2015	11.6	9.5	7.7
2017	15.2	6.3	6.3
2019	12.9	3.7	4.8
2021	6.1	6.1	4.5
<b>Sex (2021)</b>			
Female	s	5.3	3.1
Male	s	6.5	5.8
<b>Grade (2021)</b>			
09th	s	13.5	9.0
10th	s	5.6	2.2
11th	s	2.8	3.6
12th	s	6.0	5.2

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How often do you wear a seat belt when driving a car?

a: I do not drive a car; b: Never; c: Rarely; d: Sometimes; e: Most of the time; f: Always;

Numerator: bc; denominator: bcdef;

Question number: 2021q11; 2019q11; 2017q10; 2015q10; 2013q10;






**Category: Vehicle and Bicycle Safety**  
 Number and Percent of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)

**School**  
13.9%

**Region**  
14.6%

**NH**  
15.1%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	21.2	-	17.4
2015	20.0	18.6	15.8
2017	15.6	16.3	14.4
2019	17.1	15.9	14.9
2021	13.9	14.6	15.1
<b>Sex (2021)</b>			
Female	16.9	17.3	16.9
Male	11.5	11.6	13.2
<b>Grade (2021)</b>			
09th	18.3	11.8	14.6
10th	17.0	17.0	14.5
11th	s	13.5	14.8
12th	s	15.3	16.1

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;

Numerator: bcde; denominator: abcde;


Question number: 2021q12; 2019q12; 2017q12; 2015q12; 2013q12;

**Category: Vehicle and Bicycle Safety**  
 Number and Percent of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the past 30 days, among students who had driven a car or other vehicle) during the past 30 days



**School**  
25.6%

**Region**  
41.3%

**NH**  
42.9%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	36.2	-	47.7
2015	37.8	37.7	43.7
2017	31.4	37.7	41.7
2019	29.9	41.2	44.2
2021	25.6	41.3	42.9
<b>Sex (2021)</b>			
Female	22.2	46.5	45.9
Male	30.6	37.2	40.1
<b>Grade (2021)</b>			
09th	s	15.8	15.3
10th	s	9.7	12.5
11th	25.9	46.6	47.6
12th	40.0	62.9	61.2



**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?  
 a: I did not drive a car or other vehicle during the past 30 days; b: 0 days; c: 1 or 2 days; d: 3 to 5 days; e: 6 to 9 days; f: 10 to 19 days; g: 20 to 29 days; h: All 30 days;  
 Numerator: cdefgh; denominator: bcdefgh;  
 Question number: 2021q14; 2019q14; 2017q14; 2015q14; 2013q14;

**Category: Physical Inactivity and Unhealthy Dietary Behaviors**  
 Number and Percent of students who described themselves as slightly or very overweight

**School**  
37.6%

**Region**  
34.3%

**NH**  
30.0%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	37.6	34.3	30.0
<b>Sex (2021)</b>			
Female	44.0	40.1	33.2
Male	31.9	29.5	27.0
<b>Grade (2021)</b>			
09th	40.0	36.9	30.7
10th	40.4	32.3	29.5
11th	33.3	29.8	29.8
12th	34.3	38.7	30.3

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** How do you describe your weight?

a: Very underweight; b: Slightly underweight; c: About the right weight; d: Slightly overweight; e: Very overweight;

Numerator: de; denominator: abcde;




Question number: 2021q68; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Physical Inactivity and Unhealthy Dietary Behaviors**  
**Number and Percent of students who were trying to lose weight**

**School**  
44.4%

**Region**  
45.7%

**NH**  
42.5%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	53.9	-	45.7
2015	48.1	46.9	44.1
2017	-	-	-
2019	52.7	50.3	43.9
2021	44.4	45.7	42.5
<b>Sex (2021)</b>			
Female	52.4	60.3	55.2
Male	36.6	32.2	30.5
<b>Grade (2021)</b>			
09th	46.7	47.7	44.7
10th	51.1	44.1	42.7
11th	35.1	49.3	42.3
12th	41.2	41.7	40.8

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




**How the question was actually asked:** Which of the following are you trying to do about your weight?  
 a: Lose weight; b: Gain weight; c: Stay the same weight; d: I am not trying to do anything about my weight;  
 Numerator: a; denominator: abcd;  
 Question number: 2021q69; 2019q63; 2017q999; 2015q60; 2013q65;

**Category: Physical Inactivity and Unhealthy Dietary Behaviors**  
 Number and Percent of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop) during the past 7 days

**School**  
29.8%

**Region**  
34.8%

**NH**  
39.7%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	31.2	33.2	37.0
2017	27.6	34.4	37.4
2019	31.4	33.7	37.4
2021	29.8	34.8	39.7
<b>Sex (2021)</b>			
Female	37.3	37.6	45.1
Male	22.3	31.3	34.6
<b>Grade (2021)</b>			
09th	18.6	38.4	38.8
10th	40.4	35.9	39.7
11th	40.5	34.5	40.4
12th	22.9	30.3	40.5

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

a: I did not drink soda or pop during the past 7 days; b: 1 to 3 times during the past 7 days; c: 4 to 6 times during the past 7 days; d: 1 time per day; e: 2 times per day; f: 3 times per day; g: 4 or more times per day;

Numerator: a; denominator: abcdefg;


Question number: 2021q70; 2019q67; 2017q67; 2015q62; 2013q999;

**Category: Physical Inactivity and Unhealthy Dietary Behaviors**  
 Number and Percent of students who did not drink a bottle or glass of plain water during the past 7 days

**School**  
0.0%

**Region**  
3.2%

**NH**  
3.7%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	4.7	3.5	3.1
2019	5.9	3.4	2.6
2021	0.0	3.2	3.7
<b>Sex (2021)</b>			
Female	0.0	2.2	3.2
Male	0.0	4.2	4.0
<b>Grade (2021)</b>			
09th	0.0	3.7	3.5
10th	0.0	4.0	3.0
11th	0.0	1.8	4.1
12th	0.0	3.2	4.0

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 7 days, how many times did you drink a bottle or glass of plain water? (Count tap, bottled, and unflavored sparkling water.)  
 a: I did not drink water during the past 7 days; b: 1 to 3 times during the past 7 days; c: 4 to 6 times during the past 7 days; d: 1 time per day; e: 2 times per day; f: 3 times per day; g: 4 or more times per day;  
 Numerator: a; denominator: abcdefg;  
 Question number: 2021q71; 2019q68; 2017q68; 2015q999; 2013q999;

**Category: Physical Inactivity and Unhealthy Dietary Behaviors**  
 Number and Percent of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as sports drinks, energy drinks, lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight, not counting soda or pop, one or more times per day) during the past 7 days

**School**  
24.0%

**Region**  
22.0%

**NH**  
18.2%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	22.9	17.3	18.6
2019	17.6	16.3	18.0
2021	24.0	22.0	18.2
<b>Sex (2021)</b>			
Female	19.8	20.4	17.7
Male	26.9	23.4	18.6
<b>Grade (2021)</b>			
09th	20.7	15.0	15.3
10th	19.6	23.2	17.1
11th	25.0	25.1	19.7
12th	34.3	25.3	21.1

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




**How the question was actually asked:** During the past 7 days, how many times did you drink a can, bottle, or glass of a sugar-sweetened beverage such as sports drinks (for example, Gatorade or PowerAde), energy drinks (for example, Red Bull or Jolt), lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight? (Do not count soda or pop.)  
 a: I did not drink these sugar-sweetened beverages during the past 7 days; b: 1 to 3 times during the past 7 days; c: 4 to 6 times during the past 7 days; d: 1 time per day; e: 2 times per day; f: 3 times per day; g: 4 or more times per day;  
 Numerator: defg; denominator: abcdefg;  
 Question number: 2021q72; 2019q69; 2017q66; 2015q999; 2013q999;

**Category: Physical Inactivity and Unhealthy Dietary Behaviors**  
**Number and Percent of students who did not eat breakfast during the past 7 days**

**School**  
14.2%

**Region**  
17.9%

**NH**  
18.2%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	20.5	17.5	14.1
2021	14.2	17.9	18.2
<b>Sex (2021)</b>			
Female	15.9	18.0	20.3
Male	12.9	18.2	16.0
<b>Grade (2021)</b>			
09th	13.8	17.2	18.6
10th	15.2	15.0	17.6
11th	13.5	17.8	18.0
12th	14.3	21.6	18.2

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 7 days, on how many days did you eat breakfast?

a: 0 days; b: 1 day; c: 2 days; d: 3 days; e: 4 days; f: 5 days; g: 6 days; h: 7 days;

Numerator: a; denominator: abcdefgh;

Question number: 2021q73; 2019q70; 2017q999; 2015q999; 2013q999;




**Category: Physical Inactivity and Unhealthy Dietary Behaviors**  
 Number and Percent of students who were physically active at least 60 minutes per day on 5 or more days during the past 7 days



**School**  
44.2%

**Region**  
50.6%

**NH**  
46.2%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	48.3	-	47.0
2015	47.0	48.3	46.9
2017	49.6	48.9	47.2
2019	34.8	50.3	47.1
2021	44.2	50.6	46.2
<b>Sex (2021)</b>			
Female	38.8	43.7	37.8
Male	48.9	58.0	54.6
<b>Grade (2021)</b>			
09th	50.0	53.1	51.4
10th	46.7	53.5	47.8
11th	40.0	48.9	43.5
12th	35.3	46.4	41.6



**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

a: 0 days; b: 1 day; c: 2 days; d: 3 days; e: 4 days; f: 5 days; g: 6 days; h: 7 days;

Numerator: fgh; denominator: abcdefgh;


Question number: 2021q74; 2019q71; 2017q69; 2015q63; 2013q69;

**Category: Physical Inactivity and Unhealthy Dietary Behaviors**  
**Number and Percent of students who spent 3 or more hours per day on screen time**

**School**  
76.9%

**Region**  
80.9%

**NH**  
78.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	76.9	80.9	78.8
<b>Sex (2021)</b>			
Female	83.8	86.6	80.1
Male	71.0	75.9	77.5
<b>Grade (2021)</b>			
09th	82.8	80.6	77.4
10th	69.6	79.9	80.3
11th	77.1	81.8	79.7
12th	76.5	81.7	78.4

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")? (Do not count time spent doing schoolwork.)

a: Less than 1 hour per day; b: 1 hour per day; c: 2 hours per day; d: 3 hours per day; e: 4 hours per day; f: 5 or more hours per day;

Numerator: def; denominator: abcdef;


Question number: 2021q75; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Bullying, Electronic Bullying and Fighting**  
 Number and Percent of students who carried a weapon (such as a gun, knife, or club, on at least 1 day) during the past 30 days

**School**  
31.1%

**Region**  
21.1%

**NH**  
15.6%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	19.1	19.0	16.0
2019	20.7	16.4	14.4
2021	31.1	21.1	15.6
<b>Sex (2021)</b>			
Female	25.0	12.5	9.7
Male	36.8	29.0	21.1
<b>Grade (2021)</b>			
09th	28.3	20.9	14.0
10th	29.8	17.8	15.7
11th	32.5	19.9	16.8
12th	36.4	25.0	15.8

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?  
 a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days;  
 Numerator: bcde; denominator: abcde;  
 Question number: 2021q15; 2019q15; 2017q15; 2015q999; 2013q999;

**Category: Bullying, Electronic Bullying and Fighting**  
**Number and Percent of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day) during the past 30 days**

**School**  
4.4%

**Region**  
4.0%

**NH**  
2.9%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	5.5	4.3	3.6
2019	4.8	2.7	2.8
2021	4.4	4.0	2.9
<b>Sex (2021)</b>			
Female	5.9	3.3	2.1
Male	s	4.7	3.5
<b>Grade (2021)</b>			
09th	s	3.6	2.1
10th	s	2.8	2.7
11th	s	2.8	3.2
12th	s	6.7	3.3

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?




a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days;  
 Numerator: bcde; denominator: abcde;  
 Question number: 2021q16; 2019q16; 2017q16; 2015q999; 2013q999;

**Category: Bullying, Electronic Bullying and Fighting**  
**Number and Percent of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day) during the past 30 days**

**School**  
12.2%

**Region**  
16.0%

**NH**  
9.6%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	9.1	-	5.7
2015	8.9	5.4	5.4
2017	9.7	5.6	5.2
2019	10.6	6.6	6.9
2021	12.2	16.0	9.6
<b>Sex (2021)</b>			
Female	13.1	21.1	11.9
Male	11.5	11.0	7.0
<b>Grade (2021)</b>			
09th	16.4	15.5	9.0
10th	12.8	12.9	9.4
11th	s	21.6	9.4
12th	s	13.7	10.2

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days;

Numerator: bcde; denominator: abcde;


Question number: 2021q17; 2019q17; 2017q17; 2015q15; 2013q15;

**Category: Bullying, Electronic Bullying and Fighting**  
**Number and Percent of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times) during the past 12 months**

**School**  
12.1%

**Region**  
7.9%

**NH**  
6.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	9.7	8.2	6.7
2019	7.0	7.3	6.4
2021	12.1	7.9	6.8
<b>Sex (2021)</b>			
Female	9.5	8.2	6.6
Male	14.4	7.5	6.8
<b>Grade (2021)</b>			
09th	16.7	7.9	7.2
10th	s	8.9	6.4
11th	17.5	4.3	6.3
12th	s	9.5	6.6

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or 7 times; f: 8 or 9 times; g: 10 or 11 times; h: 12 or more times;

Numerator: bcdefgh; denominator: abcdefgh;


Question number: 2021q18; 2019q18; 2017q18; 2015q999; 2013q999;

**Category: Bullying, Electronic Bullying and Fighting**  
**Number and Percent of students who were in a physical fight one or more times during the past 12 months**

**School**  
24.7%

**Region**  
20.4%

**NH**  
16.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	24.5	22.4	19.2
2019	-	-	-
2021	24.7	20.4	16.8
<b>Sex (2021)</b>			
Female	22.6	15.3	11.6
Male	26.8	24.9	21.5
<b>Grade (2021)</b>			
09th	31.1	23.2	20.1
10th	25.5	25.3	17.4
11th	22.5	13.4	15.7
12th	14.7	18.1	12.8

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, how many times were you in a physical fight?  
 a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or 7 times; f: 8 or 9 times; g: 10 or 11 times; h: 12 or more times;  
 Numerator: bcdefgh; denominator: abcdefgh;  
 Question number: 2021q19; 2019q999; 2017q19; 2015q999; 2013q999;

**Category: Bullying, Electronic Bullying and Fighting**  
**Number and Percent of students who were in a physical fight on school property (one or more times) during the past 12 months**

**School**  
7.2%

**Region**  
6.1%

**NH**  
4.9%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	10.7	-	6.9
2015	11.1	8.4	6.4
2017	-	-	-
2019	15.9	10.1	7.9
2021	7.2	6.1	4.9
<b>Sex (2021)</b>			
Female	6.0	3.6	2.7
Male	8.4	8.3	7.0
<b>Grade (2021)</b>			
09th	10.2	7.5	6.3
10th	s	8.0	5.1
11th	s	2.2	4.2
12th	s	5.2	3.3

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, how many times were you in a physical fight on school property?  
 a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or 7 times; f: 8 or 9 times; g: 10 or 11 times; h: 12 or more times;  
 Numerator: bcdefgh; denominator: abcdefgh;  
 Question number: 2021q20; 2019q19; 2017q999; 2015q17; 2013q17;




**Category: Bullying, Electronic Bullying and Fighting**  
 Number and Percent of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood

**School**  
29.3%

**Region**  
23.1%

**NH**  
17.0%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	29.3	23.1	17.0
<b>Sex (2021)</b>			
Female	25.3	22.9	17.1
Male	33.0	22.6	16.6
<b>Grade (2021)</b>			
09th	30.0	24.7	17.3
10th	31.9	23.1	17.5
11th	32.5	24.1	16.3
12th	20.6	19.6	16.1

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** Have you ever seen someone get physically attacked, beaten, stabbed, or shot in your neighborhood?

a: Yes; b: No;

Numerator: a; denominator: ab;




Question number: 2021q21; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Bullying, Electronic Bullying and Fighting**  
**Number and Percent of students who were ever bullied on school property during the past 12 months**

**School**  
24.4%

**Region**  
24.1%

**NH**  
20.0%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	30.5	-	22.8
2015	30.0	30.1	22.1
2017	32.0	25.6	21.4
2019	30.1	28.8	23.0
2021	24.4	24.1	20.0
<b>Sex (2021)</b>			
Female	31.0	28.8	23.6
Male	18.8	19.7	16.0
<b>Grade (2021)</b>			
09th	27.9	27.8	22.7
10th	23.4	23.1	20.1
11th	23.7	23.9	19.0
12th	20.6	20.7	17.4

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, have you ever been bullied on school property?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2021q33; 2019q27; 2017q26; 2015q23; 2013q22;

**Category: Bullying, Electronic Bullying and Fighting**  
 Number and Percent of students who were ever electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media) during the past 12 months

**School**  
22.7%

**Region**  
25.0%

**NH**  
21.8%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	23.7	20.8	19.0
2019	23.1	24.4	20.1
2021	22.7	25.0	21.8
<b>Sex (2021)</b>			
Female	32.1	34.5	28.7
Male	14.6	15.7	14.9
<b>Grade (2021)</b>			
09th	23.0	27.3	23.0
10th	17.0	22.7	21.8
11th	25.6	26.8	22.3
12th	26.5	22.6	19.6

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2021q34; 2019q28; 2017q27; 2015q999; 2013q999;

**Category: Bullying, Electronic Bullying and Fighting**  
**Number and Percent of students who had a concussion from playing a sport or being physically active (one or more times) during the past 12 months**

**School**  
15.7%

**Region**  
14.8%

**NH**  
12.3%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	17.2	15.7	14.4
2019	21.0	18.3	14.7
2021	15.7	14.8	12.3
<b>Sex (2021)</b>			
Female	12.8	13.4	10.8
Male	18.3	16.4	13.7
<b>Grade (2021)</b>			
09th	19.6	13.7	12.2
10th	19.6	17.9	13.5
11th	16.7	12.2	11.6
12th	s	14.7	11.4

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

a: 0 times; b: 1 time; c: 2 times; d: 3 times; e: 4 or more times;

Numerator: bcde; denominator: abcde;


Question number: 2021q76; 2019q74; 2017q73; 2015q999; 2013q999;

**Category: Other Health Risks**  
 Number and Percent of students who described their grades in school as mostly A's or B's during the past 12 months

**School**  
54.6%

**Region**  
69.7%

**NH**  
75.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	66.8	-	73.4
2015	67.2	63.1	74.5
2017	56.0	73.4	77.6
2019	57.5	70.7	77.0
2021	54.6	69.7	75.8
<b>Sex (2021)</b>			
Female	62.4	77.9	80.1
Male	48.5	62.3	72.0
<b>Grade (2021)</b>			
09th	65.6	65.2	73.8
10th	51.1	67.4	76.9
11th	45.0	72.8	75.0
12th	51.4	76.5	78.7

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, how would you describe your grades in school?

a: Mostly A's; b: Mostly B's; c: Mostly C's; d: Mostly D's; e: Mostly F's; f: None of these grades; g: Not sure;

Numerator: ab; denominator: abcdefg;


Question number: 2021q8; 2019q8; 2017q8; 2015q8; 2013q8;

**Category: Other Health Risks**  
 Number and Percent of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea during the past 12 months

**School**  
4.5%

**Region**  
6.6%

**NH**  
5.7%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	10.9	13.4	9.2
2021	4.5	6.6	5.7
<b>Sex (2021)</b>			
Female	8.5	8.7	7.4
Male	s	4.7	4.0
<b>Grade (2021)</b>			
09th	s	2.1	2.0
10th	s	3.9	3.9
11th	0.0	6.6	6.3
12th	s	13.6	10.8

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;


Question number: 2021q77; 2019q76; 2017q999; 2015q999; 2013q999;

**Category: Other Health Risks**  
**Number and Percent of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work) during the past 12 months**

**School**  
59.7%

**Region**  
74.5%

**NH**  
78.5%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	75.7	78.2	82.7
2017	68.6	79.7	82.8
2019	66.5	80.9	83.6
2021	59.7	74.5	78.5
<b>Sex (2021)</b>			
Female	61.0	77.3	79.8
Male	58.1	72.0	77.5
<b>Grade (2021)</b>			
09th	54.2	70.2	78.1
10th	69.6	73.5	80.7
11th	56.8	77.6	78.2
12th	58.8	77.7	77.6

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?  
 a: During the past 12 months; b: Between 12 and 24 months ago; c: More than 24 months ago; d: Never; e: Not sure;  
 Numerator: a; denominator: abcde;  
 Question number: 2021q78; 2019q77; 2017q75; 2015q68; 2013q999;

**Category: Other Health Risks**  
 Number and Percent of students who saw a doctor or nurse (for a check-up or physical exam when they were not sick or injured) during the past 12 months

**School**  
64.9%

**Region**  
70.4%

**NH**  
77.9%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	71.9	70.2	79.3
2017	66.4	69.7	76.8
2019	64.9	76.8	80.7
2021	64.9	70.4	77.9
<b>Sex (2021)</b>			
Female	59.3	73.3	79.2
Male	69.6	68.4	77.0
<b>Grade (2021)</b>			
09th	65.5	68.8	78.3
10th	77.8	76.0	79.7
11th	54.1	67.9	78.1
12th	58.8	69.1	75.9

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** When was the last time you saw a doctor or nurse for a check-up or physical exam when you were not sick or injured?

a: During the past 12 months; b: Between 12 and 24 months ago; c: More than 24 months ago; d: Never; e: Not sure;

Numerator: a; denominator: abcde;

Question number: 2021q79; 2019q78; 2017q74; 2015q69; 2013q999;






**Category: Other Health Risks**  
 Number and Percent of students who had ever been told by a doctor or nurse that they had asthma

**School**  
22.2%

**Region**  
20.7%

**NH**  
19.6%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	29.5	-	22.1
2015	26.1	24.4	22.3
2017	-	-	-
2019	27.6	24.2	22.6
2021	22.2	20.7	19.6
<b>Sex (2021)</b>			
Female	24.4	22.1	19.8
Male	20.4	19.4	19.4
<b>Grade (2021)</b>			
09th	30.5	24.3	18.9
10th	21.7	19.5	18.8
11th	13.5	18.6	19.6
12th	17.6	20.0	21.1

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** Has a doctor or nurse ever told you that you have asthma?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;




Question number: 2021q80; 2019q79; 2017q999; 2015q70; 2013q72;

**Category: Other Health Risks**  
**Number and Percent of students who reported that their mental health was most of the time or always not good**

**School**  
37.5%

**Region**  
39.4%

**NH**  
36.2%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	37.5	39.4	36.2
<b>Sex (2021)</b>			
Female	52.4	53.4	50.2
Male	23.7	25.1	21.8
<b>Grade (2021)</b>			
09th	44.1	40.3	32.0
10th	41.3	37.9	35.4
11th	24.3	42.4	38.7
12th	35.3	37.9	39.0

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: de; denominator: abcde;




Question number: 2021q81; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other Health Risks**  
 Number and Percent of students who got 8 or more hours of sleep on an average school night

**School**  
21.0%

**Region**  
22.4%

**NH**  
23.3%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	33.3	29.3	28.4
2017	26.9	25.1	25.5
2019	23.9	24.8	23.9
2021	21.0	22.4	23.3
<b>Sex (2021)</b>			
Female	17.1	20.7	20.8
Male	24.7	24.4	26.0
<b>Grade (2021)</b>			
09th	16.9	28.4	29.9
10th	21.7	23.2	24.6
11th	32.4	20.0	20.7
12th	14.7	16.8	17.4

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** On an average school night, how many hours of sleep do you get?

a: 4 or less hours; b: 5 hours; c: 6 hours; d: 7 hours; e: 8 hours; f: 9 hours; g: 10 or more hours;

Numerator: efg; denominator: abcdefg;


Question number: 2021q82; 2019q80; 2017q76; 2015q71; 2013q999;

**Category: Other Health Risks**  
**Number and Percent of students who usually did not sleep in their parent's or guardian's home**

**School**  
2.9%

**Region**  
2.2%

**NH**  
1.6%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	3.9	2.1	2.5
2019	3.3	3.1	2.2
2021	2.9	2.2	1.6
<b>Sex (2021)</b>			
Female	s	1.1	1.2
Male	s	3.0	1.8
<b>Grade (2021)</b>			
09th	s	2.0	1.0
10th	s	1.4	1.2
11th	s	1.1	1.6
12th	s	3.6	2.2

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** During the past 30 days, where did you usually sleep?  
 a: In my parent's or guardian's home; b: In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing; c: In a shelter or emergency housing; d: In a motel or hotel; e: In a car, park, campground, or other public place; f: I do not have a usual place to sleep; g: Somewhere else;  
 Numerator: bcdef; denominator: abcdefg;  
 Question number: 2021q83; 2019q83; 2017q82; 2015q999; 2013q999;

**Category: Other Health Risks**  
 Number and Percent of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned during the past 30 days

**School**  
6.2%

**Region**  
4.4%

**NH**  
3.3%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	4.5	4.5	4.5
2019	7.1	3.9	4.2
2021	6.2	4.4	3.3
<b>Sex (2021)</b>			
Female	7.3	4.1	3.4
Male	5.4	3.9	3.2
<b>Grade (2021)</b>			
09th	8.5	3.7	2.6
10th	s	2.7	2.9
11th	s	3.7	2.8
12th	0.0	7.4	4.6

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2021q84; 2019q84; 2017q83; 2015q999; 2013q999;

**Category: Other Health Risks**  
**Number and Percent of students who had never or rarely been made sure the basic needs were met by an adult in the household**

**School**  
5.2%

**Region**  
5.6%

**NH**  
6.9%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	5.2	5.6	6.9
<b>Sex (2021)</b>			
Female	7.4	5.1	6.7
Male	s	6.0	6.9
<b>Grade (2021)</b>			
09th	s	4.4	6.9
10th	s	5.9	7.2
11th	s	3.5	5.6
12th	s	8.1	7.7

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During your life, how often has there been an adult in your household who tried hard to make sure your basic needs were met, such as looking after your safety and making sure you had clean clothes and enough to eat?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: ab; denominator: abcde;


Question number: 2021q85; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other Health Risks**  
**Number and Percent of students who always or most of the time went hungry because there was not enough food in their home during the past 30 days**

**School**  
5.2%

**Region**  
2.4%

**NH**  
2.0%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	5.2	2.4	2.0
<b>Sex (2021)</b>			
Female	s	2.8	2.0
Male	5.5	2.0	1.9
<b>Grade (2021)</b>			
09th	s	2.7	1.9
10th	s	2.2	1.6
11th	s	2.0	1.9
12th	s	2.1	2.2

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During the past 30 days, how often did you go hungry because there was not enough food in your home?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: de; denominator: abcde;


Question number: 2021q86; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other Health Risks**  
 Number and Percent of students who were ever injured on the paid job badly enough that needed to go to a nurse, doctor or hospital

**School**  
5.1%

**Region**  
5.1%

**NH**  
5.5%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	5.1	5.1	5.5
<b>Sex (2021)</b>			
Female	s	4.6	4.0
Male	s	5.6	6.7
<b>Grade (2021)</b>			
09th	s	4.9	4.9
10th	s	4.7	5.2
11th	s	3.4	5.2
12th	s	6.3	5.6

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** If you worked for pay during the past 12 months, were you ever injured on the job badly enough that you needed to go to a nurse, doctor, or hospital?

a: I did not work for pay during the past 12 months; b: Yes; c: No;

Numerator: b; denominator: bc;

Question number: 2021q87; 2019q999; 2017q999; 2015q999; 2013q999;




**Category: Other Health Risks**  
**Number and Percent of students who do not believe that students help decide what happens in their school**

**School**  
27.7%

**Region**  
28.8%

**NH**  
23.4%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	27.7	28.8	23.4
<b>Sex (2021)</b>			
Female	28.0	28.7	22.0
Male	27.8	29.4	24.5
<b>Grade (2021)</b>			
09th	27.6	25.6	16.4
10th	23.9	24.4	22.3
11th	40.0	28.6	26.9
12th	20.6	35.0	28.4

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


**How the question was actually asked:** Do you agree or disagree that students help decide what goes on in your school?  
 a: Strongly agree; b: Agree; c: Not sure; d: Disagree; e: Strongly disagree;  
 Numerator: de; denominator: abcde;  
 Question number: 2021q106; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other life experience**  
 Number and Percent of students who were most of the time or always sworn at, insulted or put down by a parent or other adult in the home

**School**  
18.0%

**Region**  
22.8%

**NH**  
16.4%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	18.0	22.8	16.4
<b>Sex (2021)</b>			
Female	25.3	30.3	22.3
Male	11.6	14.8	10.3
<b>Grade (2021)</b>			
09th	18.0	16.8	14.3
10th	21.3	24.1	16.6
11th	13.5	24.1	16.6
12th	18.2	25.0	17.7

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During your life, how often has a parent or other adult in your home sworn at you, insulted you, or put you down?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: de; denominator: abcde;


Question number: 2021q30; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other life experience**  
 Number and Percent of students who were most of the time or always hit, beat, kicked or physically hurt by a parent or other adult in the home

**School**  
Suppressed

**Region**  
2.3%

**NH**  
2.2%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	s	2.3	2.2
<b>Sex (2021)</b>			
Female	s	2.7	2.3
Male	s	1.7	2.0
<b>Grade (2021)</b>			
09th	s	2.8	1.9
10th	s	1.5	1.6
11th	s	2.9	2.7
12th	0.0	2.3	2.5

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During your life, how often has a parent or other adult in your home hit, beat, kicked, or physically hurt you in any way?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: de; denominator: abcde;


Question number: 2021q31; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other life experience**  
**Number and Percent of students who most of the time or always had parents or other adults slapped, hit, kicked, punched or beat each other up in the home**

**School**  
Suppressed

**Region**  
2.3%

**NH**  
1.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	s	2.3	1.8
<b>Sex (2021)</b>			
Female	s	2.7	2.2
Male	s	1.6	1.3
<b>Grade (2021)</b>			
09th	s	3.2	1.4
10th	0.0	0.4	1.3
11th	s	3.7	1.9
12th	0.0	1.8	2.2

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During your life, how often have your parents or other adults in your home slapped, hit, kicked, punched, or beat each other up?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: de; denominator: abcde;




Question number: 2021q32; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other life experience**  
**Number and Percent of students who had parents or adults in their family serving in the military**

**School**  
9.2%

**Region**  
9.1%

**NH**  
8.7%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	17.7	-	15.2
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	9.2	9.1	8.7
<b>Sex (2021)</b>			
Female	11.0	10.1	8.5
Male	7.8	8.5	8.9
<b>Grade (2021)</b>			
09th	11.9	11.7	10.2
10th	s	8.4	9.6
11th	s	7.0	7.1
12th	s	8.3	7.6

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** Are either of your parents or other adults in your family serving on active duty in the military?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2021q88; 2019q999; 2017q999; 2015q999; 2013q75;

**Category: Other life experience**  
**Number and Percent of students who had ever lived with someone who was having a problem with alcohol or drug use**

**School**  
51.4%

**Region**  
44.7%

**NH**  
31.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	51.4	44.7	31.8
<b>Sex (2021)</b>			
Female	59.3	51.1	35.9
Male	45.1	38.0	27.3
<b>Grade (2021)</b>			
09th	53.4	42.8	29.1
10th	52.2	41.7	30.5
11th	40.0	46.6	33.2
12th	58.8	48.4	34.1

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.




**How the question was actually asked:** Have you ever lived with someone who was having a problem with alcohol or drug use?  
 a: Yes; b: No;  
 Numerator: a; denominator: ab;  
 Question number: 2021q89; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other life experience**  
**Number and Percent of students who had ever lived with someone who was depressed, mentally ill, or suicidal**

**School**  
50.3%

**Region**  
50.0%

**NH**  
41.1%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	50.3	50.0	41.1
<b>Sex (2021)</b>			
Female	68.3	61.0	50.0
Male	34.1	39.1	32.0
<b>Grade (2021)</b>			
09th	45.8	45.7	36.6
10th	58.7	45.8	39.3
11th	29.4	51.4	43.2
12th	67.6	58.4	46.1

**Notes**  
 \*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** Have you ever lived with someone who was depressed, mentally ill, or suicidal?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2021q90; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other life experience**  
 Number and Percent of students who had ever been separated from a parent or guardian because they went to jail, prison, or a detention center

**School**  
22.1%

**Region**  
18.3%

**NH**  
10.7%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	22.1	18.3	10.7
<b>Sex (2021)</b>			
Female	27.5	19.4	11.6
Male	17.6	17.3	9.7
<b>Grade (2021)</b>			
09th	22.8	18.2	10.4
10th	23.9	17.7	10.4
11th	14.3	19.6	10.5
12th	26.5	17.6	11.0

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** Have you ever been separated from a parent or guardian because they went to jail, prison, or a detention center?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2021q91; 2019q999; 2017q999; 2015q999; 2013q999;




**Category: Other life experience**  
**Number and Percent of students who never or rarely felt able to talk to an adult in the family or another caring adult about their feelings**

**School**  
42.8%

**Region**  
36.8%

**NH**  
32.8%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	42.8	36.8	32.8
<b>Sex (2021)</b>			
Female	50.0	39.4	34.2
Male	36.3	33.8	30.9
<b>Grade (2021)</b>			
09th	39.0	39.6	33.2
10th	47.8	36.5	32.6
11th	38.2	36.9	33.1
12th	47.1	34.5	31.9

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** During your life, how often have you felt that you were able to talk to an adult in your family or another caring adult about your feelings?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: ab; denominator: abcde;

Question number: 2021q92; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other life experience**  
**Number and Percent of students who had ever seen pornography, also called porn, either on purpose or by accident**

**School**  
74.6%

**Region**  
77.7%

**NH**  
75.2%



	School*	Region+	NH+
	%	%	%
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	74.6	77.7	75.2
<b>Sex (2021)</b>			
Female	71.6	73.1	67.8
Male	78.2	81.6	82.2
<b>Grade (2021)</b>			
09th	64.9	73.4	67.5
10th	86.4	77.9	74.3
11th	74.3	81.4	79.2
12th	75.8	78.9	80.9

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** Have you ever seen pornography, also called porn, either on purpose or by accident? (Count any porn that you saw, including pictures, on TV, phones, computers, or iPads or other tablets, in books, magazines, or movie theaters.)

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2021q93; 2019q999; 2017q999; 2015q999; 2013q999;

**Category: Other life experience**  
**Number and Percent of students who had ever been forced to work or do something illegal by someone who got money or something of value for what they did**

**School**  
4.6%

**Region**  
5.2%

**NH**  
4.0%



	School* %	Region+ %	NH+ %
<b>Year</b>			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	4.6	5.2	4.0
<b>Sex (2021)</b>			
Female	s	4.4	3.5
Male	5.5	6.1	4.4
<b>Grade (2021)</b>			
09th	s	5.1	2.7
10th	s	3.9	3.4
11th	s	5.0	4.3
12th	0.0	6.1	5.2

**Notes**

\*: School results are calculated using non-scientific survey data.  
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.  
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

**How the question was actually asked:** Have you ever been forced to work or do something illegal by someone who got money or something of value for what you did?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2021q94; 2019q999; 2017q999; 2015q999; 2013q999;